REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
BUREAU OF SOILS AND WATER MANAGEMENT
Elliptical Road Cor. Visayas Ave., Diliman, Quezon City

FERTILIZER GUIDE MAP
(Key Rice Areas)
PROVINCE OF PANGASINAN


119°50'
120°0'
120°10'
120°20'
120°30'
120°40'
120°50'
16°20'
16°10'
16°0'
15°50'
15°40'
WEST PHILIPPINE SEA
LINGAYEN GULF
BALINGASAY BAY
OLANEN BAY
AGNO BAY
BARUAN BAY
DASOL BAY
TAMBAC BAY
Province of La Union
Province of Benguet
Province of Nueva Vizcaya
Province of Zambales
Province of Tarlac
Province of Nueva Ecija
Bolinao
Anda
Bani
ALAMINOS
Agno
Mabini
Sual
Infanta
Labrador
LINGAYEN
Binmaley
DAGUPAN
Calasiao
Santa Barbara
San Fabian
Mangaldan
San Jacinto
Laoac
Sison
San Nicolas
Natividad
Tayug
Asingan
URDANETA
Santa Maria
Umingan
Villasis
Rosales
Bugallon
SAN CARLOS
Malasiqui
Bautista
Alcala
Bayambang
Mangatarem
LOCATION MAP
La Union
Benguet
Nueva Vizcaya
PANGASINAN
Zambales
Tarlac
Nueva Ecija
LUZON
VISAYAS
MINDANAO

SCALE 1:120,000

0 1 2 3 4 5 6 7 8 9 10
Kilometers

Projection : Transverse Mercator
Datum : Luzon 1911
DISCLAIMER : All political boundaries are not authoritative

CONVENTIONAL SIGNS

ROADS	BOUNDARY	HYDROLOGY
Expressway	Regional	Rivers / Lake
Trunk line	Provincial	Shoreline
Primary	District	*PLACES*
Secondary	Municipal	★ ★ Capital City / City
Tertiary		◉ ● Capital Town / Town

MISCELLANEOUS INFORMATION

SOURCES OF INFORMATION : Topographic information taken from NAMRIA Topographic Map at a scale of 1:50,000. Elevation data taken from SRTM 1 arc-second global dataset (2015). Bathymetry information taken from British Oceanographic Centre. Fertility data gathered through the Bureau of Soils and Water Management (BSWM), National Soil Sampling and Testing for Fertility and Crop Suitability Assessment Project led by the Soils Survey Division (SSD) in 2016.

Users noting errors or omissions in this publication are requested to inform the BSWM, SRDC Bldg., Elliptical Rd., cor. Visayas Avenue, Diliman, Quezon City, Philippines or visit the BSWM website *(http://www.bswm.da.gov.ph).*

Copyright © 2016. All rights reserved to the Bureau of Soils and Water Management. No part of this publication may be reproduced, stored in a retrieval system or published without written consent from the BSWM.

Prepared and produced by the **GEOMATICS AND SOIL INFORMATION TECHNOLOGY DIVISION, BSWM.**

LEGEND

Mapping Symbol	Description	All options recommended to apply 10-20 bags/ha Organic Fertilizer																AREA	
		INBRED RICE								HYBRID RICE									
		WET SEASON				DRY SEASON				WET SEASON				DRY SEASON					
		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
	TEXTURE-N-P-K	N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		ha	%
65	M-L-L-L	90	60	60	Option 1: *(1st Application):* 8.75 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	100	60	60	Option 1: *(1st Application):* 8.75 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60);	110	70	70	Option 1: *(1st Application):* 10.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	120	70	70	Option 1: *(1st Application):* 10.00 (14-14-14-); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60);	6,624	3.86
66	M-L-L-ML	90	60	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	100	60	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60);	110	70	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	120	70	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60);	6,745	3.93
67	M-L-L-MH	90	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.75 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.75 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60);	5,865	3.42
68	M-L-L-H	90	60	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 6.00 (0-18-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 6.00 (0-18-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 7.00 (0-18-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.25 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 7.00 (0-18-0); *(2nd Application):* 2.50 (46-0-0); *(3rd Application):* 2.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60);	2,534	1.48
69	M-L-ML-L	90	40	60	Option 1: *(1st Application):* 5.75 (14-14-14-); 0.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	100	40	60	Option 1: *(1st Application):* 5.75 (14-14-14-); 0.50 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60);	110	50	70	Option 1: *(1st Application):* 7.25 (14-14-14-); 0.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	120	50	70	Option 1: *(1st Application):* 7.25 (14-14-14-); 0.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 5.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60);	3,952	2.30
70	M-L-ML-ML	90	40	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 0.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 0.50 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 0.25 (46-0-0); *(2nd Application):* 1.20 (46-0-0); *(3rd Application):* 1.20 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 0.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 5.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60);	2,776	1.62
71	M-L-ML-MH	90	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	100	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.30 (46-0-0); 2.22 (0-18-0); *(2nd Application):* 1.09 (46-0-0); *(3rd Application):* 1.09 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60);	110	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.25 (46-0-0); 2.22 (0-18-0); *(2nd Application):* 1.20 (46-0-0); *(3rd Application):* 1.20 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	120	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 5.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60);	5,743	3.34
72	M-L-ML-H	90	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); 3.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0); *(2nd Application):* 1.09 (46-0-0); *(3rd Application):* 1.09 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	110	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.25 (46-0-0); 5.00 (0-18-0); *(2nd Application):* 1.20 (46-0-0); *(3rd Application):* 1.20 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	120	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 5.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60);	9,338	5.44
73	M-L-MH-L	90	20	60	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	100	20	60	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60);	110	30	70	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	120	30	70	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60);	490	0.28
74	M-L-MH-ML	90	20	40	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	100	20	40	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60);	110	30	50	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	120	30	50	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60);	1,984	1.16
75	M-L-MH-MH	90	20	30	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	100	20	30	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	110	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	120	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60);	1,073	0.62
76	M-L-MH-H	90	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); 1.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	110	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.25 (46-0-0); 2.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	120	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60);	4,554	2.65
77	M-L-H-L	90	7	60	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	100	7	60	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60);	110	7	70	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 4.75 (46-0-0); *(3rd Application):* 2.50 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	120	7	70	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 3.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60);	2,103	1.22
78	M-L-H-ML	90	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	100	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60);	110	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 4.75 (46-0-0); *(3rd Application):* 1.75 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	120	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 3.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60);	2,165	1.26
79	M-L-H-MH	90	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 4.75 (46-0-0); *(3rd Application):* 1.00 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 3.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60);	4,975	2.90

LEGEND

Mapping Symbol	Description	All options recommended to apply 10-20 bags/ha Organic Fertilizer																AREA	
		INBRED RICE								HYBRID RICE									
		WET SEASON				DRY SEASON				WET SEASON				DRY SEASON					
		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
	TEXTURE-N-P-K	N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		ha	%
80	M-L-H-H	90	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	110	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.25 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 4.75 (46-0-0); *(3rd Application):* 0.25 (0-0-60); Option 3: *(1st Application):* 2.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	120	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 3.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60);	18,560	10.81
81	M-ML-L-L	70	60	60	Option 1: *(1st Application):* 8.75 (14-14-14-); *(2nd Application):* 0.50 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	80	60	60	Option 1: *(1st Application):* 8.75 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	90	70	70	Option 1: *(1st Application):* 10.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 2.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	100	70	70	Option 1: *(1st Application):* 10.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	1,351	0.79
82	M-ML-L-ML	70	60	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	80	60	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	90	70	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	100	70	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	4,376	2.55
83	M-ML-L-MH	70	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	80	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	90	70	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	100	70	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	2,397	1.40
84	M-ML-L-H	70	60	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 6.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	80	60	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 6.00 (0-18-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.75 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	90	70	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 7.00 (0-18-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	70	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 7.00 (0-18-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 2.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	2,473	1.44
85	M-ML-ML-L	70	40	60	Option 1: *(1st Application):* 5.75 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	80	40	60	Option 1: *(1st Application):* 5.75 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	90	50	70	Option 1: *(1st Application):* 7.25 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	100	50	70	Option 1: *(1st Application):* 7.25 (14-14-14-); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	1,632	0.95
86	M-ML-ML-ML	70	40	40	Option 1: *(1st Application):* 5.75 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	80	40	40	Option 1: *(1st Application):* 5.75 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	90	50	50	Option 1: *(1st Application):* 7.25 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	100	50	50	Option 1: *(1st Application):* 7.25 (14-14-14-); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	3,861	2.25
87	M-ML-ML-MH	70	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 0.75 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	80	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.00 (46-0-0); 2.22 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	90	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 0.75 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	100	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.00 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	4,551	2.65
88	M-ML-ML-H	70	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.25 (46-0-0); 3.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	80	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); 3.67 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	90	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); 5.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); 5.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	5,075	2.96
89	M-ML-MH-L	70	20	60	Option 1: *(1st Application):* 3.00 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	80	20	60	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	90	30	70	Option 1: *(1st Application):* 4.50 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	100	30	70	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	1,281	0.75
90	M-ML-MH-ML	70	20	40	Option 1: *(1st Application):* 3.00 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	80	20	40	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	90	30	50	Option 1: *(1st Application):* 4.50 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	100	30	50	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	1,629	0.95
91	M-ML-MH-MH	70	20	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	80	20	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	90	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	100	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	6,447	3.75
92	M-ML-MH-H	70	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.25 (46-0-0); 1.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	80	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); 1.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	90	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); 2.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); 2.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	5,083	2.96
93	M-ML-H-L	70	7	60	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	80	7	60	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	90	7	70	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	100	7	70	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	2,558	1.49
94	M-ML-H-ML	70	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	80	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	90	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	100	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	4,807	2.80

LEGEND

Mapping Symbol	Description	All options recommended to apply 10-20 bags/ha Organic Fertilizer																	
		INBRED RICE								HYBRID RICE								AREA	
		WET SEASON				DRY SEASON				WET SEASON				DRY SEASON					
		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
	TEXTURE-N-P-K	N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		ha	%
95	M-ML-H-MH	70	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	80	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	90	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	100	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	6,337	3.69
96	M-ML-H-H	70	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.25 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	80	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	90	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.00 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	100	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.00 (46-0-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 2.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 2.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60);	27,758	16.17
98	M-MH-L-ML	50	60	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 0.50 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 0.25 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 1.50 (0-0-60);	60	60	40	Option 1: *(1st Application):* 5.75 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 0.50 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60);	70	70	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(3rd Application):* 0.75 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.75 (0-0-60);	80	70	50	Option 1: *(1st Application):* 7.25 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	260	0.15
99	M-MH-L-MH	50	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 0.25 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.75 (0-0-60);	60	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 6.00 (16-20-0); *(3rd Application):* 0.50 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 6.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	70	70	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	80	70	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 7.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	45	0.03
101	M-MH-ML-L	50	40	60	Option 1: *(1st Application):* 5.75 (14-14-14-); *(3rd Application):* 0.50 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 2.00 (0-0-60);	60	40	60	Option 1: *(1st Application):* 5.75 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60);	70	50	70	Option 1: *(1st Application):* 7.25 (14-14-14-); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 5.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.50 (0-0-60);	80	50	70	Option 1: *(1st Application):* 7.25 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	36	0.02
102	M-MH-ML-ML	50	40	40	Option 1: *(1st Application):* 5.75 (14-14-14-); *(3rd Application):* 0.50 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 1.50 (0-0-60);	60	40	40	Option 1: *(1st Application):* 5.75 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60);	70	50	50	Option 1: *(1st Application):* 7.25 (14-14-14-); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.75 (0-0-60);	80	50	50	Option 1: *(1st Application):* 7.25 (14-14-14-); *(2nd Application):* 0.65 (46-0-0); *(3rd Application):* 0.87 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	187	0.11
103	M-MH-ML-MH	50	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.75 (0-0-60);	60	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	70	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	80	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 2.25 (0-18-0); *(2nd Application):* 1.09 (46-0-0); *(3rd Application):* 1.09 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	628	0.37
104	M-MH-ML-H	50	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 3.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.25 (0-0-60);	60	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 3.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 4.00 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 4.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	70	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 5.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(3rd Application):* 1.50 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	80	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 5.00 (0-18-0); *(2nd Application):* 1.59 (46-0-0); *(3rd Application):* 1.59 (46-0-0); Option 2: *(1st Application):* 5.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	157	0.09
105	M-MH-MH-L	50	20	60	Option 1: *(1st Application):* 3.00 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 2.00 (0-0-60);	60	20	60	Option 1: *(1st Application):* 3.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60);	70	30	70	Option 1: *(1st Application):* 4.50 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.50 (0-0-60);	80	30	70	Option 1: *(1st Application):* 4.50 (14-14-14-); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	156	0.09
107	M-MH-MH-MH	50	20	20	Option 1: *(1st Application):* 3.00 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.75 (0-0-60);	60	20	20	Option 1: *(1st Application):* 3.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	70	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	80	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); *(2nd Application):* 1.09 (46-0-0); *(3rd Application):* 0.87 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	390	0.23
108	M-MH-MH-H	50	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.25 (0-0-60);	60	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 2.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 2.25 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	70	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.75 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	80	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 2.75 (0-18-0); *(2nd Application):* 1.59 (46-0-0); *(3rd Application):* 1.59 (46-0-0); Option 2: *(1st Application):* 3.00 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	638	0.37
109	M-MH-H-L	50	7	60	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 2.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 2.00 (0-0-60);	60	7	60	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60);	70	7	70	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.50 (0-0-60);	80	7	70	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 2.50 (0-0-60);	93	0.05
110	M-MH-H-ML	50	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 1.50 (0-0-60);	60	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60);	70	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.75 (0-0-60);	80	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 0.78 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	1,457	0.85
111	M-MH-H-MH	50	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.75 (0-0-60);	60	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	70	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	80	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 0.78 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	287	0.17
112	M-MH-H-H	50	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.50 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.50 (46-0-0); *(3rd Application):* 0.50 (46-0-0); 0.25 (0-0-60);	60	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.00 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	70	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	80	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.75 (46-0-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 2.25 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.75 (46-0-0); 0.78 (0-18-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	4,913	2.86

LEGEND

Mapping Symbol	Description	All options recommended to apply 10-20 bags/ha Organic Fertilizer																	
		INBRED RICE								HYBRID RICE								AREA	
		WET SEASON				DRY SEASON				WET SEASON				DRY SEASON					
		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
	TEXTURE-N-P-K	N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		N	P_2O_5	K_2O		ha	%
113	M-H-L-L	30	60	60	Option 1: *(1st Application):* 2.25 (14-14-14-); 5.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (46-0-0); 6.75 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 2.00 (0-0-60);	40	60	60	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 1.00 (46-0-0); 6.75 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 2.00 (0-0-60);	50	70	70	Option 1: *(1st Application):* 3.75 (14-14-14-); 5.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.50 (0-0-60); Option 2: *(1st Application):* 1.25 (46-0-0); 8.00 (0-18-0); *(3rd Application):* 1.25 (46-0-0); 2.50 (0-0-60);	60	70	70	Option 1: *(1st Application):* 4.50 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 2.50 (0-0-60); Option 2: *(1st Application):* 1.50 (46-0-0); 8.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 2.50 (0-0-60);	58	0.03
114	M-H-L-ML	30	60	40	Option 1: *(1st Application):* 2.25 (14-14-14-); 5.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (46-0-0); 6.75 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60);	40	60	40	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60); Option 2: *(1st Application):* 1.00 (46-0-0); 6.75 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	50	70	50	Option 1: *(1st Application):* 3.75 (14-14-14-); 5.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 1.00 (0-0-60); Option 2: *(1st Application):* 1.25 (46-0-0); 8.00 (0-18-0); *(3rd Application):* 1.25 (46-0-0); 1.75 (0-0-60);	60	70	50	Option 1: *(1st Application):* 4.25 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 0.75 (0-0-60); Option 2: *(1st Application):* 1.50 (46-0-0); 7.78 (0-18-0); *(2nd Application):* 0.65 (46-0-0); *(3rd Application):* 0.65 (46-0-0); 1.75 (0-0-60);	15	0.01
115	M-H-L-MH	30	60	20	Option 1: *(1st Application):* 2.25 (14-14-14-); 5.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 2: *(1st Application):* 0.75 (46-0-0); 6.75 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	40	60	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 4.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 1.00 (46-0-0); 6.75 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	50	70	30	Option 1: *(1st Application):* 3.75 (14-14-14-); 5.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 0.25 (0-0-60); Option 2: *(1st Application):* 1.25 (46-0-0); 8.00 (0-18-0); *(3rd Application):* 1.25 (46-0-0); 1.00 (0-0-60);	60	70	30	Option 1: *(1st Application):* 4.25 (14-14-14-); 4.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 1.50 (46-0-0); 7.78 (0-18-0); *(2nd Application):* 0.65 (46-0-0); *(3rd Application):* 0.65 (46-0-0); 1.00 (0-0-60);	30	0.02
119	M-H-ML-MH	30	40	20	Option 1: *(1st Application):* 2.25 (14-14-14-); 3.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 2: *(1st Application):* 0.75 (46-0-0); 4.50 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	40	40	20	Option 1: *(1st Application):* 3.00 (14-14-14-); 2.25 (0-18-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 1.00 (46-0-0); 4.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	50	50	30	Option 1: *(1st Application):* 3.75 (14-14-14-); 3.00 (0-18-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60); Option 2: *(1st Application):* 1.25 (46-0-0); 5.75 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	60	50	30	Option 1: *(1st Application):* 4.50 (14-14-14-); 2.50 (0-18-0); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 1.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	218	0.13
120	M-H-ML-H	30	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.50 (46-0-0); 3.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 0.75 (46-0-0); 4.50 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	40	40	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.75 (46-0-0); 3.75 (0-18-0); *(2nd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 1.00 (46-0-0); 4.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	50	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.00 (46-0-0); 5.00 (0-18-0); *(2nd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 1.25 (46-0-0); 5.75 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	60	50	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.00 (46-0-0); 5.00 (0-18-0); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 1.50 (46-0-0); 5.75 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	151	0.09
123	M-H-MH-MH	30	20	20	Option 1: *(1st Application):* 2.25 (14-14-14-); 0.75 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 2: *(1st Application):* 0.75 (46-0-0); 2.25 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	40	20	20	Option 1: *(1st Application):* 3.00 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 1.00 (46-0-0); 2.25 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	50	30	30	Option 1: *(1st Application):* 3.75 (14-14-14-); 0.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); *(3rd Application):* 0.25 (0-0-60); Option 2: *(1st Application):* 1.25 (46-0-0); 3.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	60	30	30	Option 1: *(1st Application):* 4.50 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 1.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	72	0.04
124	M-H-MH-H	30	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.50 (46-0-0); 1.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 0.75 (46-0-0); 2.25 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	40	20	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.75 (46-0-0); 1.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 1.00 (46-0-0); 2.25 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	50	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.78 (46-0-0); 2.75 (0-18-0); *(2nd Application):* 1.25 (46-0-0); Option 2: *(1st Application):* 1.25 (46-0-0); 3.50 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	60	30	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.00 (46-0-0); 2.56 (0-18-0); *(2nd Application):* 1.50 (46-0-0); Option 2: *(1st Application):* 1.50 (46-0-0); 3.50 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	27	0.01
126	M-H-H-ML	30	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 0.75 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60);	40	7	40	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.25 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.50 (0-0-60); Option 3: *(1st Application):* 1.00 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60);	50	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60);	60	7	50	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.75 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.75 (0-0-60);	324	0.19
127	M-H-H-MH	30	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); *(3rd Application):* 1.00 (46-0-0); 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 0.75 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60);	40	7	20	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 0.50 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.75 (0-0-60); Option 3: *(1st Application):* 1.00 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.75 (0-0-60);	50	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60);	60	7	30	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.50 (46-0-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 1.00 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 1.00 (0-0-60);	206	0.12
128	M-H-H-H	30	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.50 (46-0-0); *(2nd Application):* 0.75 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(3rd Application):* 1.25 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 0.75 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	40	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.75 (46-0-0); *(2nd Application):* 1.00 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.00 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	50	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 0.78 (46-0-0); *(2nd Application):* 1.09 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.00 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.25 (46-0-0); 1.00 (0-18-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60);	60	7	7	Option 1: *(1st Application):* 1.00 (14-14-14-); 1.00 (46-0-0); *(2nd Application):* 1.30 (46-0-0); Option 2: *(1st Application):* 0.75 (16-20-0); *(2nd Application):* 1.50 (46-0-0); *(3rd Application):* 1.00 (46-0-0); 0.25 (0-0-60); Option 3: *(1st Application):* 1.50 (46-0-0); 1.00 (0-18-0); *(2nd Application):* 0.75 (46-0-0); *(3rd Application):* 0.75 (46-0-0); 0.25 (0-0-60);	226	0.13
																	TOTAL	***171,671***	***100.00***

Area estimated based on field survey, other information from DA-RFO's, MA's, NIA Service Area, NAMRIA Land Cover (2010), and BSWM Land Use System Map