



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
**BUREAU OF SOILS AND
WATER MANAGEMENT**
Elliptical Road Cor. Visayas Ave., Diliman, Quezon City



FERTILIZER GUIDE MAP
(Key Rice Areas)
PROVINCE OF BATANGAS



SCALE 1:315,000

0 1 2 3 4 5 6 7 8 9 10 11 12
Kilometers

Projection : Transverse Mercator
Datum : PRS 1992
DISCLAIMER : All political boundaries are not authoritative



CONVENTIONAL SIGNS		
ROADS	BOUNDARY	HYDROLOGY
Expressway	Regional	Rivers / Lake
Trunk line	Provincial	Shore line
Primary	Municipal	PLACES
Secondary		Capital City / City
Tertiary		Capital Town / Town

MISCELLANEOUS INFORMATION
SOURCES OF INFORMATION: Topographic information taken from NAMRIA Topographic Map at a scale of 1:50,000. Elevation data taken from SRTM 1 arc-second global dataset (2015). Bathymetry information taken from British Oceanographic Centre Fertility data gathered through the Soil Health Assessment-National Soil Sampling and Testing Project Phase II led by the Bureau of Soils and Water Management in partnership with the DA-Regional Field Offices (RFOs) and Local Government Units (LGUs).
Users noting errors or omissions in this publication are requested to inform the BSWM, SRDC Bldg., Elliptical Rd., cor. Visayas Avenue, Diliman, Quezon City, Philippines or visit the BSWM website (<http://www.bswm.da.gov.ph>).
Copyright © 2017. All rights reserved to the Bureau of Soils and Water Management. No part of this publication may be reproduced, stored in a retrieval system or published without written consent from the BSWM.
Prepared and produced by the GEOMATICS AND SOIL INFORMATION TECHNOLOGY DIVISION, BSWM.

81

82

82

LEGEND																			
Mapping Symbol	Description	All options recommended to apply 10-20 bags/ha Organic Fertilizer														AREA			
		INBRED RICE							HYBRID RICE										
		WET SEASON				DRY SEASON			WET SEASON				DRY SEASON						
		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)						
		TEXTURE-N-P-K	N	P ₂ O ₅		K ₂ O	N	P ₂ O ₅		K ₂ O	N	P ₂ O ₅		K ₂ O	N			P ₂ O ₅	K ₂ O
121	M-H-MH-L	30	20	60	Option 1: (1st Application): 2.25 (14-14-14-); 0.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 2.25 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60);	40	20	60	Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	50	30	70	Option 1: (1st Application): 3.75 (14-14-14-); 0.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.50 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);	60	30	70	Option 1: (1st Application): 4.50 (14-14-14-); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);	258	1.99
122	M-H-MH-ML	30	20	40	Option 1: (1st Application): 2.25 (14-14-14-); 0.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 2.25 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60);	40	20	40	Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	50	30	50	Option 1: (1st Application): 3.75 (14-14-14-); 0.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);	60	30	50	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60);	247	1.91
123	M-H-MH-MH	30	20	20	Option 1: (1st Application): 2.25 (14-14-14-); 0.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 2.25 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	40	20	20	Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	50	30	30	Option 1: (1st Application): 3.75 (14-14-14-); 0.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 0.25 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);	60	30	30	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	7	0.05
124	M-H-MH-H	30	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 1.50 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 2.25 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 1.50 (0-18-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.78 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	60	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 2.56 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	276	2.13
125	M-H-H-L	30	7	60	Option 1: (1st Application): 1.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 0.75 (46-0-0); 1.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60);	40	7	60	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 2.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	50	7	70	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);	60	7	70	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60);	587	4.54
126	M-H-H-ML	30	7	40	Option 1: (1st Application): 1.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 0.75 (46-0-0); 1.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60);	40	7	40	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	50	7	50	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);	60	7	50	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60);	290	2.24
127	M-H-H-MH	30	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 0.75 (46-0-0); 1.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	40	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	50	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);	60	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	28	0.22
128	M-H-H-H	30	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 0.75 (46-0-0); 1.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.78 (46-0-0); (2nd Application): 1.09 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	60	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.30 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	251	1.94
TOTAL																	12,943	100.00	

DESCRIPTION			
TEXTURE	N	P	K
L - Light	L	-Low	
	ML	- Moderately Low	
M - Medium to Heavy	MH	- Moderately High	
	H	- High	

*5-10% Total NPK per PNS/ BAFS 183:2016
Area estimated based on actual field survey, other information from DA-RFO's, MA's NIA Service Area, NAMRIA Land Cover (2010) and BSWM Land Use System Map.

FERTILIZER GUIDE FOR RICE

ORGANIC FERTILIZER
Basal Application: After 2nd harrowing - 10-20 bags *Organic Fertilizer

INORGANIC FERTILIZER
1st Application: After last harrowing - Basal
2nd Application: 10-14 DAT/P (days after transplanting/planting) - Topdress
3rd Application: 20-25 DAT/P (days after transplanting/planting) - Topdress