



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAMARINES SUR

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options															
			INBRED RICE						HYBRID RICE									
	Number	Description	WET SEASON			DRY SEASON			WET SEASON			DRY SEASON						
			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)
Texture-N-P-K			N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	
CABUSAO	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);
CABUSAO	076	M-L-MH-H	90	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0);	100	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0);	110	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0);	120	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0);
CABUSAO	072	M-L-ML-H	90	40	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); 3.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0);	100	40	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0);	110	50	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0);	120	50	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0);

Application schedule:
 1st - after last harrowing
 2nd - 10-14 DAT
 3rd - 20-25 DAT
 DAT - days after transplanting

Fertilizer materials:
 Complete (14-14-14)
 Urea (46-0-0)
 Ammophos (16-20-0)
 Solophos (0-18-0)
 Muriate of Potash (0-0-60)