



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF GENERAL SANTOS & SARANGGANI

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																	
				INBRED RICE									HYBRID RICE								
		Number	Description	WET SEASON			DRY SEASON			WET SEASON			DRY SEASON								
				Recommended Fertilizer Rate (bags/hectare)			Recommended Fertilizer Rate (bags/hectare)			Recommended Fertilizer Rate (bags/hectare)			Recommended Fertilizer Rate (bags/hectare)								
				Nutrient Requirement			Nutrient Requirement			Nutrient Requirement			Nutrient Requirement								
				N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O						
Municipality of MAASIM																					
Bales	_no interview_	111	M-MH-H-MH	50	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 0.78 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		
Kabatiol	_no interview_	111	M-MH-H-MH	50	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 0.78 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		
Poblacion (Maasim)	Pablan Billarodia	111	M-MH-H-MH	50	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 0.78 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 -15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)