



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																			
			INBRED RICE									HYBRID RICE										
	WET SEASON					DRY SEASON				WET SEASON			DRY SEASON									
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		
SAN MIGUEL	113	M-H-L-L	30	60	60	Option 1: (1st Application): 2.25 (14-14-14-); 5.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60);		40	60	60	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		50	70	70	Option 1: (1st Application): 3.75 (14-14-14-); 5.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.50 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);		60	70	70	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 2.50 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60);	
SAN MIGUEL	115	M-H-L-MH	30	60	20	Option 1: (1st Application): 2.25 (14-14-14-); 5.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);		40	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		50	70	30	Option 1: (1st Application): 3.75 (14-14-14-); 5.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 0.25 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		60	70	30	Option 1: (1st Application): 4.25 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	114	M-H-L-ML	30	60	40	Option 1: (1st Application): 2.25 (14-14-14-); 5.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60);		40	60	40	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		50	70	50	Option 1: (1st Application): 3.75 (14-14-14-); 5.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);		60	70	50	Option 1: (1st Application): 4.25 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 1.75 (0-0-60);	
SAN MIGUEL	123	M-H-MH-MH	30	20	20	Option 1: (1st Application): 2.25 (14-14-14-); 0.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 2.25 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);		40	20	20	Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		50	30	30	Option 1: (1st Application): 3.75 (14-14-14-); 0.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 0.25 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		60	30	30	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	117	M-H-ML-L	30	40	60	Option 1: (1st Application): 2.25 (14-14-14-); 3.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 4.50 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60);		40	40	60	Option 1: (1st Application): 3.00 (14-14-14-); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		50	50	70	Option 1: (1st Application): 3.75 (14-14-14-); 3.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 5.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);		60	50	70	Option 1: (1st Application): 4.50 (14-14-14-); 2.25 (0-18-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60);	
SAN MIGUEL	119	M-H-ML-MH	30	40	20	Option 1: (1st Application): 2.25 (14-14-14-); 3.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 4.50 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);		40	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		50	50	30	Option 1: (1st Application): 3.75 (14-14-14-); 3.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 5.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		60	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 2.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	118	M-H-ML-ML	30	40	40	Option 1: (1st Application): 2.25 (14-14-14-); 3.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 4.50 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60);		40	40	40	Option 1: (1st Application): 3.00 (14-14-14-); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		50	50	50	Option 1: (1st Application): 3.75 (14-14-14-); 3.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 5.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);		60	50	50	Option 1: (1st Application): 4.50 (14-14-14-); 2.50 (0-18-0); (3rd Application): 1.50 (46-0-0); 0.67 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60);	



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																			
			INBRED RICE									HYBRID RICE										
	WET SEASON					DRY SEASON				WET SEASON			DRY SEASON									
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)						
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		
SAN MIGUEL	065	M-L-L-L	90	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		100	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);		110	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);		120	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);	
SAN MIGUEL	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);		110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	066	M-L-L-ML	90	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		100	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);		110	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);		120	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);	
SAN MIGUEL	075	M-L-MH-MH	90	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		100	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		110	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		120	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	074	M-L-MH-ML	90	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		100	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);		110	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);		120	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);	



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																	
			INBRED RICE									HYBRID RICE								
	WET SEASON					DRY SEASON				WET SEASON					DRY SEASON					
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			
SAN MIGUEL	071	M-L-ML-MH	90	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 1.30 (46-0-0); 2.22 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); 2.22 (0-18-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
SAN MIGUEL	070	M-L-ML-ML	90	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		
SAN MIGUEL	111	M-MH-H-MH	50	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	7	20	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	7	30	Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 0.78 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		
SAN MIGUEL	097	M-MH-L-L	50	60	60	Option 1: (1st Application): 8.75 (14-14-14-); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60);	60	60	60	Option 1: (1st Application): 8.75 (14-14-14-); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60);	70	70	70	Option 1: (1st Application): 10.00 (14-14-14-); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60);	80	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);		
SAN MIGUEL	099	M-MH-L-MH	50	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options															
			INBRED RICE									HYBRID RICE						
	WET SEASON					DRY SEASON				WET SEASON			DRY SEASON					
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N
SAN MIGUEL	098	M-MH-L-ML	50	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 1.50 (0-0-60);	60	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60);	70	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60);	80	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);
SAN MIGUEL	107	M-MH-MH-MH	50	20	20	Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	20	20	Option 1: (1st Application): 3.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	30	30	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	30	30	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.09 (46-0-0); (3rd Application): 0.87 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);
SAN MIGUEL	106	M-MH-MH-ML	50	20	40	Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 1.50 (0-0-60);	60	20	40	Option 1: (1st Application): 3.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	30	50	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60);	80	30	50	Option 1: (1st Application): 4.50 (14-14-14-); (2nd Application): 1.09 (46-0-0); (3rd Application): 0.87 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);
SAN MIGUEL	103	M-MH-ML-MH	50	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60);	60	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);	70	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60);	80	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);
SAN MIGUEL	102	M-MH-ML-ML	50	40	40	Option 1: (1st Application): 5.75 (14-14-14-); (3rd Application): 0.50 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 1.50 (0-0-60);	60	40	40	Option 1: (1st Application): 5.75 (14-14-14-); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60);	70	50	50	Option 1: (1st Application): 7.25 (14-14-14-); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60);	80	50	50	Option 1: (1st Application): 7.25 (14-14-14-); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.87 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																			
			INBRED RICE										HYBRID RICE									
	WET SEASON					DRY SEASON					WET SEASON					DRY SEASON						
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		
SAN MIGUEL	095	M-ML-H-MH	70	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		80	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		90	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		100	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	094	M-ML-H-ML	70	7	40	Option 1: (1st Application): 1.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		80	7	40	Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		90	7	50	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);		100	7	50	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	
SAN MIGUEL	081	M-ML-L-L	70	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		80	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		90	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);		100	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	
SAN MIGUEL	083	M-ML-L-MH	70	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		80	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		90	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		100	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	082	M-ML-L-ML	70	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		80	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		90	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);		100	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																			
			INBRED RICE						HYBRID RICE													
	WET SEASON					DRY SEASON					WET SEASON					DRY SEASON						
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		
SAN MIGUEL	089	M-ML-MH-L	70	20	60	Option 1: (1st Application): 3.00 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		80	20	60	Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		90	30	70	Option 1: (1st Application): 4.50 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);		100	30	70	Option 1: (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	
SAN MIGUEL	091	M-ML-MH-MH	70	20	20	Option 1: (1st Application): 3.00 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		80	20	20	Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		90	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		100	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	
SAN MIGUEL	090	M-ML-MH-ML	70	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		80	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		90	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 0.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);		100	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	
SAN MIGUEL	085	M-ML-ML-L	70	40	60	Option 1: (1st Application): 5.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		80	40	60	Option 1: (1st Application): 5.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		90	50	70	Option 1: (1st Application): 7.25 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);		100	50	70	Option 1: (1st Application): 7.25 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	
SAN MIGUEL	087	M-ML-ML-MH	70	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 0.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		80	40	20	Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0); 2.22 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		90	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 0.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		100	50	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF SURIGAO DEL SUR**

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options															
			INBRED RICE									HYBRID RICE						
	WET SEASON						DRY SEASON			WET SEASON						DRY SEASON		
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O	
SAN MIGUEL	086	M-ML-ML-ML	70	40	40	Option 1: (1st Application): 5.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	80	40	40	Option 1: (1st Application): 5.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	90	50	50	Option 1: (1st Application): 7.25 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);	100	50	50	Option 1: (1st Application): 7.25 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);