

ITEM NO	ITEM	SPECIFICATION	PR NO.	QTY	UNIT COST	TOTAL	QTY PER UNIT													
							ALMED	DO-QMS	GSITD	PROPERTY	HIGHPEZ	HILLPEZ	LUPEZ	OAP	PMS	QMS	RECORDS	SCMD	SWRRD	WRMD
1	2-way Radio (16-channels)	Portable 2-way radio UHF transceiver Frequency Range : UHF 400-470MHz Channel Capacity: 16 Channel Spacing: 25KHz Operated Voltage: 3.7 V Battery: 1500MAh Li-ion Frequency Stability: 2.5ppm Antenna Impedance : 50 Communication Range: about 3km Inclusions: 2 x SMA-Female Antenna 2 x Charger 2 x Belt Clip 2 x User's Manual Warranty: 7 Days Replacement 1 Year Parts and Service	453	1	1,900.00	1,900.00	-	-	-				1	-	-	-	-	-	-	-
2	2-way Radio (22-channels)	2-way Radio (22 channels) Can be powered by rechargeable battery OR AA batteries USB charging Low battery alert at least 22 Channels each with 121 Privacy Codes range of up to 25 miles (200km)	351	12	5,000.00	60,000.00	-	-	-				-	-	-	-	-	-	-	12
3	AC Fan Kit for Server Rack Cabinet	Standard AC Power connection Removable 115V plug for use with direct current Solid metal frame and sturdy design Fan Bearing Type	126	4	6,000.00	24,000.00	-	-	4				-	-	-	-	-	-	-	-
4	Application Software (Anti-virus)	Anti-virus for 100 user • synchronized security Heartbeat Threat Communication between endpoint and BSWM existing Sophos firewall • Protects the Boot record from encryption and data wipe • Must be able to block and identify potentially unwanted applications • Block web borne threats • Identify risky downloads from the web • Web Control/Category-based URL blocking Control/block unwated websites or unproductive websites • Must be able to allow/block usb drives and other peripheral • Application Control Control/block unwated applications • Must be able to detect zero-day-threats • Must be able to detect signatured threats • Live Protection Real time lookup of threats on cloud • Must be able to monitor malicous behaviour (Runtime and Pre-execution behavior) • Must be able to block unwanted applications" "• Must support light Data Loss Prevention features(e.g block pdf documents) • must be able to provide root cause analysis or a visualization of what did the threat do"	308	1	100,000.00	100,000.00	-	-	1				-	-	-	-	-	-	-	-

5	Audio Interface (USB)	Connectivity: USB Type-C Protocol: USB 2.0 Form Factor: Desktop Simultaneous I/O: 2 Phantom Power: Yes Instrument Inputs: 1 Line Inputs: 1	488	2	14,000.00	28,000.00	-	-	-	-	-	-	-	2	-	-	-	-	-
6	AVR	Maximum Output Voltage: 5KVA Range of Input Voltage: 140V - 250V Output Voltage: 110V and 220 V Frequency: 50~60Hz Efficiency: ~90% Psu_efficiency_rating: 90% Wattage_rating: 90% Input voltage (V): 220V Power Output (W): 4000 1-year warranty	423	1	11,200.00	11,200.00	-	-	-	-	-	1	-	-	-	-	-	-	-
7	Battery (Drone Mavic Pro)	Battery for Mavic Pro drone	69 296	4	10,000.00	40,000.00	-	-	-	2	2	-	-	-	-	-	-	-	-
8	Biometric Door Access Panel	Access Control System up to 3000 fingerprint templates up to 5,000 card capacity up to 100,000 transaction logs capacity network/USB flash disk download support magnetic contact (door left open alarm)	126	3	14,000.00	42,000.00	-	-	3	-	-	-	-	-	-	-	-	-	-
9	Bluetooth Receiver	Plug and Play at least 10m range Bluetooth Version at least 3.0	126	15	1,000.00	15,000.00	-	-	15	-	-	-	-	-	-	-	-	-	-
10	Cable (XLR)	3 Pin XLR male and female microphone cable 10 meters	488	2	5,000.00	10,000.00	-	-	-	-	-	-	-	2	-	-	-	-	-
11	Calibration of Lufft Sensor	Calibration of Lufft Sensor	289	8	18,750.00	150,000.00	-	-	-	-	-	-	-	-	-	-	-	-	8
12	Camera (Action)	Action Camera Pocket Handheld Gimbal Stabilization Camera Axes:3-Axis Up to 4K Video at 60 fps, up to 100 Mb/s Effective MegaPixel: at least 12MPs Includes Lightning & USB Type-C Adapters	334	2	14,500.00	29,000.00	-	-	-	-	-	-	-	-	-	-	2	-	-
13	Camera (Webcam FHD w/ Mic)	Max Resolution: 1080p/30 fps - 720p/ 60 fps Focus type: Autofocus Built-in mic: Stereo Autofocus: Yes Lens type: Glass Connection: USB-A plug-and-play	203 126 338 328	23	7,000.00	161,000.00	-	-	11	-	-	-	-	-	-	-	2	10	-
14	Camera (Webcam FHD)	USB video camera Mirrored: Yes Image sensor: at least 2 MP Image range: up to 5 meters Lens: 4.0 mm Connectivity: wired USB Cable length: should not exceed 1.5 m and not less than 1 m Video frame rate: 30 fps Full HD (1920 x 1080p) Can be connected to Windows and Mac	343 185 122	4	2,850.00	11,400.00	-	1	-	-	-	-	-	-	-	-	-	1	2

15	Camera Stand/Tripod	with build in bubble level, grip for adjusting head position, gear operated center column, quick release leg lock, non-slip rubber feet, 1/4" male thread compatible with all Cameras and Camcorders and carrying bag Material: Aluminum Alloy & Plastic Max. Height:1460mm Folding Height: 460mm Max. Tube width: 20mm Loading Capacity:3kg Weight: 1.3kg	185 343	7	900.00	6,300.00	-	-	-	-	-	-	-	-	-	-	-	-	1	6
16	Camera Stand/Tripod (DSLR)	Product Type: Tripod + Hydraulic Head Kit Material: Aluminum Alloy Section: 3 Max Operating Maximum Load: 11 lb (5 kg) Minimum Height: 28.9 in (73.5 cm) Maximum Height: 61 in (155 cm) Weight: 7.5 lb (3.4 kg) Leg Diameter 1: 14 mm Leg Diameter 2: 14 mm Leg Diameter 3: 18 mm Ball Bowl Diameter : 60 mm / 2.4 in Tilt	69 296	2	11,000.00	22,000.00	-	-	-	1	1	-	-	-	-	-	-	-	-	-
17	Capture Card	HDMI capture to USB 3.0 supports 1080p, 1080i, 720p, 480p, and 576p video formats Up to 1200p at 60 fps HDMI audio support Supports multiple devices on the same PC	138	2	10,000.00	20,000.00	-	-	2	-	-	-	-	-	-	-	-	-	-	-
18	Casing (Desktop Full-tower ATX)	Desktop casing Type: Full Tower ATX USB 3.0	305	6	10,000.00	60,000.00	-	-	6	-	-	-	-	-	-	-	-	-	-	-
19	Casing (Desktop Mid-tower ATX)	Desktop Casing Type: Mid Tower USB 3.0 Motherboard form factor: ATX; Micro ATX; Mini ITX	369	2	5,000.00	10,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	2
20	Communication Device (6.4 Octa-core 128GB 6GB)	Processor: 2 GHz, 1.8 GHz Octa-core Chipset: Mediatek Helio G80 OS: Android 11, One UI Core 3.1 Display: at least 6.4-inch super AMOLED Resolution: 720 x 1600 (HD+) Quad Camera: 48MP main camera, 8MP ultra-wide, 2MP macro, 2MP depth camera RAM: 6GB Storage: 128GB (Expandable up to 1TB) Battery: 5000 mAh, 15W fast charging	352	15	14,950.00	224,250.00	-	-	-	-	-	-	-	-	-	-	-	-	-	15
21	Communication Device (6.5 64GB 4GB)	Mediatek Helio G85 Battery 6000 mAh Camera: 50MP/8MP Display: at least 6.5" Storage: 64GB RAM: 4GB	426	1	14,999.00	14,999.00	-	-	-	-	-	1	-	-	-	-	-	-	-	-

22	Communication Device (6.67 Octa-core 128GB 8GB)	Technology: GSM/HSPA/LTE SIM: Single SIM (Nano-SIM) or Hybrid Dual SIM (Nano-SIM, dual stand-by) Display Type: IPS LCD, 450 nits (typ) Size: at least 6.67 inches, 107.4 cm <sup>2</sup> (~79.8% screen-to-body ratio) Resolution: 1600 x 2560 pixels, 16:10 ratio (~288 ppi density) Protection: Corning Gorilla Glass 5 OS: at least Android 11 Chipset: Qualcomm SM4350 Snapdragon 480 5G (8 nm) CPU: Octa-core (2x2.0 GHz Kryo 460 & 6x1.8 GHz Kryo 460) GPU: Adreno 619 Card Slot: microSDXC (uses shared SIM slot) Internal: at least 128GB 8GB RAM Battery type: Li-Po 4470 mAh, non-removable Main Camera: 64 MP, (wide), PDAF 5 MP, (ultrawide) 2 MP, (macro) 2 MP, (depth)	135	2	28,000.00	56,000.00	-	-	2	-	-	-	-	-	-	-	-	-	-	
23	Data Cable (3-in-1)	Fast charging Data cable for Micro USB, Type-C, iOS 1.2 m; White	383	12	500.00	6,000.00	-	-	-	-	-	-	-	-	-	-	-	12	-	
24	Data Cable (USB-A to Micro-B)	USB 2.0 A Male to Mini USB B 5pin Male Data Cable Cord Adapter Converter Power Cable 1.5m	289	22	300.00	6,600.00	-	-	-	-	-	-	-	-	-	-	-	-	22	
25	Database Software (MS SQL 2019)	MS SQL Server 2019	136	1	200,000.00	200,000.00	-	-	1	-	-	-	-	-	-	-	-	-	-	
26	Desktop Computer (i5)	Desktop Computer Operating system: Windows 10 Pro 64 Processor: Intel Core i5-10500 Graphics Integrated: HD Graphics 630 Discrete: NVIDIA Quadro P620 (2 GB GDDR5 dedicated) Memory: 16 GB DDR4-3200 MHz RAM (1 x 16 GB) Memory slots: 4 DIMM Hard drive: 512 GB PCIe NVMe TLC SSD Optical drive: 9.5 mm Slim DVD-Writer External I/O Ports Front 1 headphone/microphone combo 2 SuperSpeed USB Type-A 10Gbps signaling rate 2 SuperSpeed USB Type-A 5Gbps signaling rate Rear 1 audio-in, 1 audio-out 1 RJ-45; 2 USB 2.0; 2 DisplayPort 1.4 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 SuperSpeed USB Type-A 10Gbps signaling rate Form factor: Tower Pointing device: Wired Desktop 320M mouse Keyboard: Wired Desktop 320K Keyboard	133	10	80,000.00	800,000.00	-	-	10	-	-	-	-	-	-	-	-	-	-	-
27	Digital Drawing Board	Tablet with pressure-sensitive, cordless, battery-free pen Wireless Support Resolution: 2540 lpi	126	4	8,000.00	32,000.00	-	-	4	-	-	-	-	-	-	-	-	-	-	
28	Document Camera	Pixels: 8mp Camera Camera Sensor : 1/2.7 inch CMOS Sensor Resolution: 1080p Zoom : 10x Digital zoom, 12x Optical Zoom	298	1	14,500.00	14,500.00	-	-	-	-	-	-	-	-	1	-	-	-	-	

29	Electronic Signature Pad (USB)	Small size and weight for portability High-quality biometric and forensic capture Sensor Type 3rd-generation touchpad Rated to 1 million signatures Pen Type Rugged, passive pen & tether Patented, battery-less Authentication Capability Forensic quality .SIG data capable of examination	126	4	12,000.00	48,000.00	-	-	4	-	-	-	-	-	-	-	-	-	-	
30	Flash Drive (128GB)	USB 3.1 Gen 1 128 GB	159	22	1,200.00	26,400.00	-	-	22	-	-	-	-	-	-	-	-	-	-	
31	Flash Drive (32GB)	USB 3.1 Gen 1 32 GB	418	1,000	500.00	500,000.00	-	-	-	-	-	-	1,000	-	-	-	-	-	-	
32	Flash Drive (OTG MicroB 32GB)	OTG USB 3.0 USB-A; Micro-B 32 GB	185	15	500.00	7,500.00	-	-	-	-	-	-	-	-	-	-	-	15	-	
33	Flash Drive (OTG MicroB-TypeC 128GB)	OTG USB 3.0 Micro-B; Type-C 128 GB	284	30	1,200.00	36,000.00	-	-	-	30	-	-	-	-	-	-	-	-	-	
34	Flash Drive (OTG Type-C 32GB)	OTG USB 3.0 USB-A; Type C 32 GB	338	3	1,000.00	3,000.00	-	-	-	-	-	-	-	-	-	-	-	3	-	
35	Flash Drive (OTG Type-C 64GB)	OTG USB 3.0 USB-A; Type C 64 GB	185	15	1,000.00	15,000.00	-	-	-	-	-	-	-	-	-	-	-	-	15	
36	Gimbal (DSLR)	Camera Stabilizer 3-Axis Gimbal Handheld for DSLR Mirrorless Cameras Single/Pro Combo Gimbal Dimensions: Folded: 220x200x75 mm Unfolded: 370x165x150 mm Weight: Gimbal: Approx. 830 g BG18 Grip: Approx. 258 g Tripod: Approx. 160 g Operating Temperature: -20° to 45°C (-4° to 113°F) Max. Battery Life: 11 Hours Transmission Power: ≤ 8 dBm Working Frequency: 2.400 GHz to 2.4835 GHz Working Current: Static current: 0.2 A Accessory Connections: 1/4" Mounting Hole, 3/8" Mounting Hole, Camera Control Port, Accessory Port, USB-C Port, RSA Port; Connections: Bluetooth 5.0; USB-C Mobile Assistant Software Requirements: Atleast iOS 9; Android 5.0; Tested Payload: ≤ 2.0 kg, Angular Vibration Range: ±0.02"; Maximum Controlled Rotation Speed: Pan axis control: 180°/s; Tilt axis control: 180°/s; Roll axis control: 180°/s; Mechanical Endpoint Range: Pan axis control: 360° continuous rotation; Tilt axis control: -202.5° to +112.5°; Roll axis control: -95° to +220"; Controlled Rotation Range: Pan axis control: 360° continuous rotation Tilt axis control: -90° to 145°; Roll axis control: ±30° Capacity: 2450 mAh; Power: 17.64 Wh; Charging Time: 2.5 h (5 V/2 A); Charging Temperature: 5° to 40°C (41° to 104°F)	70	1	14,950.00	14,950.00	-	-	-	-	1	-	-	-	-	-	-	-	-	-

37	Handheld GPS	<p>General</p> <p>HIGH-SENSITIVITY RECEIVER</p> <p>DIMENSION 3.6" x 7.2" x 1.3" (9.19 x 18.30 x 3.27 cm)</p> <p>TOUCHSCREEN</p> <p>DISPLAY SIZE 2.55"W x 4.25"H (6.48 x 10.80 cm); 5" diag (12.70 cm)</p> <p>DISPLAY RESOLUTION 480 x 800 pixels</p> <p>DISPLAY TYPE WVGA transfective, dual orientation</p> <p>WEIGHT</p> <p>14.5 oz (410 g) with included lithium-ion battery pack</p> <p>BATTERY TYPE rechargeable lithium-ion (included)</p> <p>BATTERY LIFE</p> <p>GPS Mode: up to 18 hours</p> <p>GPS Mode, 10 min Tracking: up to 18 hours</p> <p>Expedition Mode: up to 330 hours</p> <p>Expedition Mode, 30 min Tracking: up to 300 hours"</p> <p>"WATERPROOF IPX7</p> <p>MIL-STD-810 yes (thermal, shock, water, vibrate)</p> <p>INTERFACE high speed micro USB and NMEA 0183 compatible</p> <p>MEMORY/HISTORY 16 GB (user space varies based on included mapping)</p> <p>Maps &amp; Memory</p> <p>PRELOADED MAPS</p> <p>yes (TopoActive, by Region; City Navigator Maps, North America; Federal Public Lands Map, US only)</p> <p>ABILITY TO ADD MAPS</p> <p>BASEMAP</p> <p>AUTOMATIC ROUTING (TURN BY TURN ROUTING ON ROADS) FOR</p> <p>OUTDOOR ACTIVITIES</p>	287	6	30,000.00	180,000.00	-	-	-	-	-	-	-	-	-	-	-	-	6	
38	Hard Disk Hub (8TB)	External hard disk hub 8 TB	305	5	14,953.50	74,767.50	-	-	5	-	-	-	-	-	-	-	-	-	-	
39	HDD (Internal 1TB)	Internal Hard Disk Drive (HDD) at least 7200 RPM 3.5 inch 1 TB	338 341 369	6	3,500.00	21,000.00	-	-	-	-	-	-	-	-	-	-	-	3	-	3
40	HDD (Internal 4TB)	Internal Hard Disk Drive (HDD) at least 5400 RPM SATA 4 TB	305	10	7,500.00	75,000.00	-	-	10	-	-	-	-	-	-	-	-	-	-	
41	Headphone (Dual w/ Mic)	Dual (wireless and wired) Bluetooth Version: 5.0 Working Distance: About 10-15M Cable length: at least 1.2 m Battery Capacity: 300mAh Music Playing Time: About 8 hours Frequency Response: 20Hz-20KHz Speaker: 40mm Impedance: 32Ω	343	6	6,000.00	36,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	6
42	Headphone (Wireless)	Bluetooth Version: 5.0 Working Distance: About 10-15M Battery Capacity: 300mAh Music Playing Time: About 8 hours Frequency Response: 20Hz-20KHz Speaker: 40mm Impedance: 32Ω	203	10	1,000.00	10,000.00	-	-	-	-	-	-	-	-	-	-	-	-	10	-

43	Headset (w/ Noise-cancelling)	Bluetooth Headset with HD Noise-Canceling processor Wireless with Bluetooth technology and NFC Bluetooth codec: LDAC Automatically adjusts ambient sound to your activity High-quality audio 40 mm, dome type (CCAW Voice coil) Inputs: Stereo Mini Jack Cord Length: Headphone cable (approx. 1.2 m, OFC strands, gold-plated stereo mini plug)	126	10	14,000.00	140,000.00	-	-	10	-	-	-	-	-	-	-	-	-
44	Headset (Wired w/ Mic)	Headset with Microphone Noise Isolating Can answer/end call Works with common calling applications across almost all platforms Single 3.5 mm jack Cable length: at least 1.8 m	369	30	1,000.00	30,000.00	-	-	-	-	-	-	-	-	-	-	-	30
45	Keyboard	Wired Plug and play USB connection with adjustable legs	94	2	800.00	1,600.00	-	-	-	-	-	-	-	-	2	-	-	-
46	Keyboard and Mouse Combo (Wireless)	Long range wireless 2.4 GHz Bluetooth receiver Plug and play	305	20	2,500.00	50,000.00	-	-	20	-	-	-	-	-	-	-	-	-
47	Laptop (13 i7)	Processor: at least i7 Memory: 16GB Storage: 512GB SSD or NVMe Screen size: at least 13.3" FHD OLED Graphics: Intel Iris XE OS: Windows 10/11 Ports: USB 3.2 Gen 1 Type-A; 2x Thunderbolt 4; HDMI 2.1 Precision-engineered ErgoLift hinge Tested to meet the standard for reliability and stability	263	2	90,000.00	180,000.00	-	-	2	-	-	-	-	-	-	-	-	-
48	Laptop (14 i7 Touch)	Processor: Intel Core i7-1185G7 11th Gen Memory: 32GB DDR4 4266MHz Storage: 2TB PCIe SSD Display: 14" touchscreen Graphics: Integrated Intel Iris Xe Graphics Webcam privacy shutter Fingerprint reader integrated with power button Discrete Trusted Platform Module 2.0 Energy Star 8.0 Ports & Slots: 2 x USB 4 Type-C with Thunderbolt 4; 2 x USB 3.2 Gen 1; Headphone/Mic combo; HDMI 2.0 Backlit keyboard Supported docking: USB-C Dock; Thunderbolt 4 Dock With Authorized Distributor's Certificate from the Manufacturer With One (1) year warranty on factory defects	349	2	150,000.00	300,000.00	-	-	-	-	-	-	-	-	-	-	-	2
49	Laptop (15.6 i5)	Processor: at least i5 Memory: 4GB DDR4 Storage: 1TB HDD Screen size: 15.6" Anti Glare 1080p Graphics: at least 2GB	133	6	45,000.00	270,000.00	-	-	6	-	-	-	-	-	-	-	-	-
50	Laptop (15.6 i7)	Processor: at least i7 Memory: 8GB DDR4 Storage: 512GB NVME PCIE SSD Screen size: 15.6" IPS Graphics: at least 6GB GDDR6 RTX3060	133	4	80,000.00	320,000.00	-	-	4	-	-	-	-	-	-	-	-	-

51	Laptop (16 10-core)	At least 10-core CPU with 8 performance cores and 2 efficient cores At least 16-core GPU At least 16-core Neural Engine Display: not less than 16.2 inch (diagonal) XDR display 3456 x 2234 native resolution at 254 pixels per inch Memory: 16 GB unified memory Storage: at least 512 GB SSD Expansion: SDXC card slot HDMI port; 3.5 mm jack; 3x Thunderbolt; 4x USB-C	263	3	160,000.00	480,000.00	-	-	3	-	-	-	-	-	-	-	-	-	-	
52	Lead Acid Battery Charger	Smart/Auto Stop Battery charger Voltage: 12-24v Charging current: 12V (6A-8A-10A) optional/24V (6A) optional Rate input voltage: AC120-250V Rated working frequency: 50HZ Battery type:12V24V lead-acid battery/AGM battery/water battery/dry battery Full load convert efficiency: 93%±3 meet the requirements of SAE	289	6	3,500.00	21,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	6
53	LED Flashlight	Flashlight LED Light Portable Waterproof Headlamp Item Type:Headlamp Flashlight Lighting modes:Spot light/Flood light/Spot light+Flood light/Red/Red Strobe modes Brightness: at least 1500LM Bulb: 2 * White Light LED Voltage Range:4.2V Battery type : 18650rechargeable battery(included) Intensity: 4000cd Beam distance: at least 89meter for spot light; at least 30meter for flood light Adjustable: 180 degree lighting angle with adjustable head belt Waterproof :IP65 dust and raining resistant Normal Usage Temperature:-20 degree~50 degree	289	6	2,000.00	12,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	6
54	Mesh WiFi System	Covers up to 5800 sq.ft Dual-Band WiFi 6 standard 2.4 GHz & 5GB frequency MU-MIMO 2 gigabit ports per unit 3 units per 1 pack	126	10	14,900.00	149,000.00	-	-	10	-	-	-	-	-	-	-	-	-	-	-
55	Micro SD Card (128GB)	Sequential Read Performace: up to 100 MB/s 128 GB	122	2	1,000.00	2,000.00	-	2	-	-	-	-	-	-	-	-	-	-	-	-
56	Microphone (Wireless Conference)	Wireless Conference Microphone (gooseneck)	123	1	14,500.00	14,500.00	-	1	-	-	-	-	-	-	-	-	-	-	-	-
57	Microphone (Wireless)	Dual wireless microphone Frequency range: 600-700MHz SNR: >100db Transmitting power: 1-30MW 2 receiving antenna LED mic display LED screen display Noise reduction Frequency modulation Anti interference UHF microphone Receiving distance: 100m Warranty: 3 years	453	1	3,100.00	3,100.00	-	-	-	-	-	1	-	-	-	-	-	-	-	-

58	Monitor (FHD 24)	Size: at least 24 inches Resolution: 1920 x 1080 FHD IPS Panel	307	11	12,071.00	132,781.00	-	-	11	-	-	-	-	-	-	-	-	-	-
59	Monitor (FHD 27 Energy Saving)	Size: at least 27 inches Resolution: 1920 x 1080 FHD IPS Panel Consumption: not more than 30 W Standby Power Consumption: not more than 450 mW Off-Mode Power Consumption: not more than 400 mW	200 350	7	14,950.00	104,650.00	-	-	-	-	-	-	-	-	-	-	-	-	7
60	Monitor (FHD 27)	Size: at least 27 inches Resolution: 1920 x 1080 FHD IPS Panel	307	12	14,000.00	168,000.00	-	-	12	-	-	-	-	-	-	-	-	-	-
61	Monitor (HD 18.5)	Size: at least 18.5 inches Resolution: 1366 x 768 Panel Technology Twisted Nematic Film (TN Film) VGA	423	1	5,300.00	5,300.00	-	-	-	-	-	1	-	-	-	-	-	-	-
62	Motherboard	300 series motherboard (9th Gen compatible)	338	1	6,000.00	6,000.00	-	-	-	-	-	-	-	-	-	-	-	1	-
63	Motherboard (AM4)	Motherboard Socket (AM4) Gigabyte X570 Gaming X Socket (AM4)	306	10	15,000.00	150,000.00	-	-	10	-	-	-	-	-	-	-	-	-	-
64	Motherboard (H510M)	Motherboard H510M 500 series chipset compatible with 11th Gen Intel	341 369	7	6,000.00	42,000.00	-	-	-	-	-	-	-	-	-	-	-	3	4
65	Multi-media Hub	Connect multiple devices through the hub to your laptop, including hard drives, monitors, projectors, mouse, keyboard, SD cards, internet Compatible with macOS and Windows USB C devices Pass through charging up to 60W/ 5Gbps data transfer rate Ports: 1 x USB A 3.0, 1 x USB A 2.0, 1 x USB C, 1 x HDMI (4K 30Hz), 1 Gigabit Ethernet, 1 x SD card	138	4	7,100.00	28,400.00	-	-	4	-	-	-	-	-	-	-	-	-	-
66	Network Switch (16 port)	16 port Gigabit Desktop/Rachmount Sqwitch	127	4	4,500.00	18,000.00	-	-	4	-	-	-	-	-	-	-	-	-	-
67	Nikon Total Station (Model: Nivo 5.c) Battery	Product Type: Li-ion Volts: 3.7V Capacity: 5200mAh /19.24Wh Dimension: 67.90 x 39.50 x 25.90 mm Weight:150.0 Accessories a. Two (2) Charging Cable b. Two (2) Charging Adapter c.Two (2) Batteries d. Two (2) Belt Clip e. User's manual Other Requirements: -With Authorized Distributor's Certificate from the Manufacturer -With (6) months Warranty on Factory Defects -With at least five (5) years Experience in Supplying survey equipment	381	4	14,999.00	59,996.00	-	-	-	-	-	-	-	-	-	-	-	-	4
68	Office Suite (365 Business Standard)	365 Business Standard	308	50	10,000.00	500,000.00	-	-	50	-	-	-	-	-	-	-	-	-	-
69	Office Suite (MS Home 2019)	MS Office Home Business 2019	136	18	20,000.00	360,000.00	-	-	18	-	-	-	-	-	-	-	-	-	-
70	Office Suite (MS Pro 2019)	MS Office Pro 2019	136	4	32,000.00	128,000.00	-	-	4	-	-	-	-	-	-	-	-	-	-
71	OS (Windows Pro 64 bit)	Windows 10/11 Pro 64bit	136	30	10,000.00	300,000.00	-	-	30	-	-	-	-	-	-	-	-	-	-
72	Plotting Paper (36in 150ft)	610MM X 45.7M 36IN X 150FT 2" core C6020B for HP Plotter	162	5	5,500.00	27,500.00	-	-	5	-	-	-	-	-	-	-	-	-	-

73	Powerbank (10000)	Battery Capacity: 10000mAh minimum Battery type: Lithium-ion rechargeable Input: DC 5V 2.0A Output: DC 5.1V 2.4A	303	9	1,000.00	9,000.00	-	-	-	-	-	-	-	-	-	-	-	-	9	-
74	Powerbank (20000 MicroUSB)	Battery Capacity: 20000mAh minimum Input: DC5V 2.1A MicroUSB 5Pin Output: 1. DC5V 1A,A 2. DV5V 1A, A 3. DC5V 2.1A Power: 18W	126 159 284	75	3,000.00	225,000.00	-	-	45	30	-	-	-	-	-	-	-	-	-	-
75	Prepaid WiFi Router	2.4 & 5.0 Ghz dual band Wifi- Network Type: 3G and 4G LAN port : 4 LAN port With 2 Antenna for stable data transmission No installation, just plug and surf Connect up to 10 devices	122 190	2	2,500.00	5,000.00	-	1	-	-	-	-	-	-	-	-	-	-	1	-
76	Prepaid WiFi Router (PLDT)	LTE Advanced- uses Carrier Aggregation, combines frequency channel to power LTE to deliver faster speeds WiFi Band 2.4 & 5.0 Ghz dual band Wifi- Network Type: 3G and 4G LAN port : 4 LAN port - allows wired connection of 4 devices With 2 Antenna for stable data transmission No installation, just plug and surf Connect up to 5 devices.	200	6	2,500.00	15,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	6
77	Printer All-in-One Color (A4 Ethernet)	Can print up to Legal size (8.5 x 14 in), color, black Can copy and scan up to A4 size, color, black Borderless printing up to A4 Duplex printing Has LCD display of at least 1.8 in ADF up to 20 sheets Print quality: 4800 x 1200 dpi Connectivity: USB; LAN port UTP cable cat5	303	2	10,200.00	20,400.00	-	-	-	-	-	-	-	-	-	-	-	-	2	-
78	Printer All-in-One Color (Wireless A4)	Can print up to Legal size (8.5 x 14 in), color, black Can copy and scan up to A4 size, color, black Has wireless capability Has mobile printing capability Print speed: Black - up to 8 ppm; Color - up to 5 ppm Print quality: Black - up to 1200 x 1200 dpi; Color - up to 4800 x 1200 dpi Copy speed: Black - up to 5 cpm; Color - up to 3 cpm Copy resolution: up to 300 x 300 dpi Scan resolution: up to 1200 dpi Paper handling: Input - up to 60 sheets; Output - up to 25 sheets Connectivity: Hi-speed USB; Built-in WiFi 802.11 b/g/n 200 - 240 VAC	128 155 124	3	10,000.00	30,000.00	1	1	1	-	-	-	-	-	-	-	-	-	-	-

79	Printer All-in-One Color (Wireless ADF A4)	Can print up to Legal size (8.5 x 14 in), color, black Can copy and scan up to A4 size, color, black Has wireless capability Has mobile printing capability Borderless printing with Automatic Document Feeder (ADF) Print speed: Black - up to 10 ppm; Color - up to 5 ppm Print quality: up to 5760 x 1440 dpi Copy resolution: up to 600 dpi Scanner resolution: up to 2400 dpi Paper handling: Input - up to 100 sheets; Output - up to 30 sheets Connectivity: USB, Ethernet, Built-in WiFi	94 155 155 317	5	14,000.00	70,000.00	2	-	-	-	-	-	-	-	-	1	-	2	-
80	Printer All-in-One Color (Wireless Duplex A4)	Can print up to Legal size (8.5 x 14 in), color, black Can copy and scan up to A4 size, color, black Has wireless capability Has mobile printing capability Automatic duplex printing Print speed: Black - up to 8 ppm; Color - up to 5 ppm Print quality: Black - up to 1200 x 1200 dpi; Color - up to 4800 x 1200 dpi Copy speed: Black - up to 5 cpm; Color - up to 3 cpm Copy resolution: up to 300 x 300 dpi Scan resolution: up to 1200 dpi Paper handling: Input - up to 60 sheets; Output - up to 25 sheets Connectivity: Hi-speed USB; Built-in WiFi 802.11 b/g/n 200 - 240 VAC	350	5	14,500.00	72,500.00	-	-	-	-	-	-	-	-	-	-	-	-	5
81	Printer Color (A3 Ethernet)	Function: Print Printer Type: Inkjet Printer Print Speed: 22/20 ipm Paper type: Plain, Inkjet, Glossy (cast/resin), Recycled Paper Size: A4, Letter, Executive, B5, A3, Ledger, B4, Legal, Folio, A5, B6, A6, Photo-4"x6", Indexcard-5"x8", Photo-3.5"x5", Photo-5"x7", C5 Envelope, Com-10 Envelope, DL Envelope, Monarch Envelope, Mexico Legal, India Legal Borderless Printing USB 2.0 LAN: Yes	134	11	45,000.00	495,000.00	-	-	11	-	-	-	-	-	-	-	-	-	-
82	Printer Color (A3)	Can print up to A3 size, color, black Printer type: Inkjet Printer Bi-directional and Uni-directional printing Maximum print resolution: 5760 x 1440 dpi Print speed: Draft: approx 30/17ppm; Best (or ISO): 15/5.5 ppm/ipm Paper handling: Input - up to 100 sheets; Output - up to 50 sheets Connectivity: USB	285	2	25,000.00	50,000.00	-	-	-	-	-	-	-	-	-	-	-	-	2
83	Printer MFP (A3)	Multi-Function Printer (MFP) Max Print Resolution Color: 1200x1200 Paper Handling: A3 297mm X 420mm Mono & Color Double Sided Printing: Yes Maximum Print Resolution: 1200 x 1200 DP Duly monthly cycle: up to 100,000 pages Paper trays: at least 6 trays	134	1	137,000.00	137,000.00	-	-	1	-	-	-	-	-	-	-	-	-	-
84	Processor (Intel i5-11th)	Intel Core i5-11400 (11th Gen Compatible)	341	3	14,500.00	43,500.00	-	-	-	-	-	-	-	-	-	-	3	-	-
85	Processor (Intel i5-9th)	Intel Core i5-9600 (9th Gen Compatible)	338	1	14,550.00	14,550.00	-	-	-	-	-	-	-	-	-	-	1	-	-

86	Processor (Intel i7-11th Gen)	Intel i7-11th Gen (LGA1200)	472	3	26,000.00	78,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
87	Processor (Ryzen)	Ryzen 7 5800 8-core 16-thread 3.80-4.70 GHz	306	10	40,000.00	400,000.00	-	-	10	-	-	-	-	-	-	-	-	-	-	-	
88	Projector	Native Resolution: 854 x 480 Resolution support: 640 x 480 up to 1920 x 1080 Brightness: 120 lumens Contrast ration: 500:1 Light source: LED up to 30000 Input: HDMI; USB; Micro-B	124	1	14,500.00	14,500.00	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89	PSU (1000)	Power Supply Unit (PSU) 1000 w 80 plus gold modular	306	6	13,075.33	78,451.98	-	-	6	-	-	-	-	-	-	-	-	-	-	-	
90	PSU (600)	Power Supply Unit (PSU) 600 w 80+	369	3	8,000.00	24,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
91	PSU (700)	Power Supply Unit (PSU) 700 w 80% efficiency	341	5	6,000.00	30,000.00	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
92	RAM Desktop (DDR3 1600 16GB 2x8)	Memory type: DDR3 for desktop Capacity: 16GB (2 x 8GB) Speed: 1600 MHz	338	2	6,000.00	12,000.00	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
93	RAM Desktop (DDR3 1600 16GB)	Memory type: DDR3 for desktop Capacity: 16GB Speed: 1600 MHz	341	2	3,500.00	7,000.00	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
94	RAM Desktop (DDR4 2666 16GB)	Memory type: DDR4 for desktop Capacity: 16GB Speed: 2666 MHz	341	2	6,000.00	12,000.00	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
95	RAM Desktop (DDR4 3400 16GB 2x8)	Memory type: DDR4 for desktop Capacity: 16 GB (2 x 8GB) Speed: 3400 MHz Multi-channel	306 369	11	7,000.00	77,000.00	-	-	8	-	-	-	-	-	-	-	-	-	-	3	
96	RAM Desktop (DDR4 3600 32GB 2x16)	Memory type: DDR4 for desktop Capacity: 32 GB (2 x 16GB) Speed: 3600 MHz Multi-channel	306	11	14,000.00	154,000.00	-	-	11	-	-	-	-	-	-	-	-	-	-	-	
97	RAM Laptop (DDR3 1600 8GB)	Memory type: DDR3 for laptop Capacity: 8GB Speed: 1600 MHz SODIMM	426	3	2,000.00	6,000.00	-	-	-	-	-	3	-	-	-	-	-	-	-	-	
98	RAM Laptop (DDR4 3200 16GB 2x8)	Memory type: DDR4 for laptop Capacity: 16 GB (2 x 8GB) Speed: 3200 MHz SODIMM	306	8	11,500.00	92,000.00	-	-	8	-	-	-	-	-	-	-	-	-	-	-	
99	Reed switch	Reed Switch for TR-525 automatic rain gauge can work with: TR-525I, TR-525USW, TR-525M, TR-525S	289	16	2,000.00	32,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
100	Ring Light (w/ Stand)	Special LED SMD design, lightweight and portable. constant current drive, low power loss. NO ultraviolet and infrared light radiation, low heat output, safety and environmental Rack Stand Height: 30-47cm Led ring light Size: 25cm Charging: USB Voltage: 2V-5A Dimmable: YES Light color: White , Warm, White Warm Material : Aluminum+PC Dimming range: 1%-100% Light Source: High Quality LED Dimmable Ring Light - 3 colors lighting mode: white, warm yellow, and warm white.	343	6	1,000.00	6,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6

101	Scanner (Duplex ADF)	Scanning Speed. 60 ppm / 120 ipm. Resolution - Optical. 600 DPI. Duplex ADF Capacity. 80 Sheets. Document Size - Max. 8.5 X 14 in. Document Size - Min. 2 X 2.13 in. Long Document Support. Yes (220")	155	1	14,900.00	14,900.00	1	-	-	-	-	-	-	-	-	-	-	-	-	
102	Server OS (Windows 2019 Standard)	Windows Server 2019 Standard	136	2	75,000.00	150,000.00	-	-	2	-	-	-	-	-	-	-	-	-	-	
103	Server Workstation	Server Workstation Operating system: Windows 10 Pro for Workstations Processor: Intel Xeon Silver 4216 (2.1 GHz base frequency, up to 3.2 GHz with Intel Turbo Boost Technology, 22 MB cache, 16 cores) Graphics Discrete: NVIDIA Quadro RTX 4000 (8 GB GDDR6 dedicated) Memory: 16 GB DDR4-2933 MHz RAM (2 x 8 GB) Memory slots: 24 DIMM with 2 processors Hard drive: 512 GB PCIe SSD Power supply: 1700 W internal power supply, up to 90% efficiency, active PFC External I/O Ports Front:1 headset connector; 4 USB 3.1 (1 charging) Rear:6 USB 3.1 Gen 1; 2 RJ-45 (1 GbE); 1 audio-in; 1 audio-out; 1 PS/2 mouse port; 1 PS/2 keyboard port; 1 serial Expansion slots 2 PCIe x4; 3 PCIe x8; 4 PCIe x16 1 PCIe x8 has rear bulkhead access and 2 PCIe x8 are internal access only. Slot 1: Transforms to PCIe x8 when 2nd CPU is installed. Slots 3 and 6: are available only when 2nd processor is installed. PCIe x16 - Available only when 2nd processor is installed. Pointing device: USB wired optical mouse Keyboard:USB Slim Business Keyboard	133	1	284,000.00	284,000.00	-	-	1	-	-	-	-	-	-	-	-	-	-	
104	Signal Booster	with parabolic omni-directional antenna	126	2	6,000.00	12,000.00	-	-	2	-	-	-	-	-	-	-	-	-	-	
105	SMA connector cable (pigtail)	Extension cable RP-SMA female bulkhead to Ufl./IPX connector SMA to IPX pigtail cable Product Series: RP-SMA to Ufl./lpx cable Family: Coaxial, RF pigtail cable Gender: RP-SMA Jack,male pin/Ufl./lpx Length: 20cm Cable type: 1.13 cable	289	16	205.00	3,280.00	-	-	-	-	-	-	-	-	-	-	-	-	-	16
106	Sophos Central	Intercept X Advanced 99 user	136	1	240,000.00	240,000.00	-	-	1	-	-	-	-	-	-	-	-	-	-	
107	Speaker (Desktop 2.1 w/ Controls)	Subwoofer X1 Satellite Speaker X2 Bass, Treble and Volume Control 3.5mm jack	126 305	23	10,000.00	230,000.00	-	-	23	-	-	-	-	-	-	-	-	-	-	
108	Speaker (Desktop 2.1)	Subwoofer X1 Satellite Speaker X2 3.5mm jack	317	6	2,000.00	12,000.00	-	-	-	-	-	-	-	-	-	-	-	6	-	

109	Speaker (w/ Mixer)	400W (200W + 200W) power output High quality speakers (LF:8" woofer/ HF:1" voice coil compression driver) Detachable 8-channel mixer (4 mono/line + 4 mono / 2 stereo line) Bluetooth audio streaming 1-Knob Master EQ with virtual bass boost High resolution SPX digital reverbs (4 types, parameter control) Onboard feedback suppressor Great-sounding 2-band channel EQ Switchable stereo/ mono inputs Hi-Z (high impedance) inputs Phantom power Monitor and Subwoofer outputs Optional reverb footswitch	133	2	80,000.00	160,000.00	-	-	2	-	-	-	-	-	-	-	-	-	-
110	Speaker (Wireless Amplified)	Amplified Speaker 400w-600w Power output:480w-600w Woofer: 15" LED display 5 band equalizer 12VDC in/out 220V AC Rechargeable battery FM Radio Aux/ line in/ line out Bluetooth USB SD card 2 mic input Inclusions: Remote control 2 pcs. wireless microphone Warranty: 1-year warranty	453	1	14,999.00	14,999.00	-	-	-	-	-	1	-	-	-	-	-	-	-
111	Speaker (Wireless Outdoor)	Outdoor wireless speaker Outdoor mode spreads sound further Splash-proof top panel with integrated cup holders Rechargeable battery Bluetooth connectivity Analog Audio Input: Yes USB Port: Yes Microphone Input: Yes Bass Boost Function: Mega Bass Approximate Size: 30cm	126	10	14,990.00	149,900.00	-	-	10	-	-	-	-	-	-	-	-	-	-
112	Speaker (Wireless)	Portable Speaker Wireless Bluetooth 5.1 IP67 waterproof and dustproof USB-C connection Integrated Carabiner hook 10 hours of playtime Rechargeable	317 343	12	3,900.00	46,800.00	-	-	-	-	-	-	-	-	-	-	-	6	6
113	SSD (External 500GB)	External Solid State Drive (SSD) Portable at least 550 MB/s transfer 500 GB	185	1	3,500.00	3,500.00	-	-	-	-	-	-	-	-	-	-	-	1	-
114	SSD (External USB3.2 500GB)	External Solid State Drive (SSD) USB 3.2 Gen 1 500 GB Windows and MAC OS compatible	122 383 426	10	6,500.00	65,000.00	-	1	-	-	-	1	-	-	-	-	-	8	-

115	SSD (External USB3.2 Type-C 500GB)	External Solid State Drive (SSD) USB 3.2 Gen 1 Type-C 500 GB	126 138 305	21	9,800.00	205,800.00	-	-	21	-	-	-	-	-	-	-	-	-	-
116	SSD (Internal 250GB)	Internal Solid State Drive (SSD) at least 550 MB/s transfer SATA 250GB	338 369	4	4,800.00	19,200.00	-	-	-	-	-	-	-	-	-	-	1	-	3
117	SSD (Internal 500GB)	Internal Solid State Drive (SSD) at least 550 MB/s transfer SATA 500 GB	305 488	11	5,500.00	60,500.00	-	-	10	-	-	-	-	1	-	-	-	-	-
118	SSD (Internal M.2 1TB)	Internal Solid State Drive (SSD) M.2 1 TB	305	5	12,000.00	60,000.00	-	-	5	-	-	-	-	-	-	-	-	-	-
119	SSD (Internal M.2 NVMe 500GB)	Internal Solid State Drive (SSD) M.2 NVMe 500 GB	341	2	4,800.00	9,600.00	-	-	-	-	-	-	-	-	-	-	2	-	-
120	Studio Photo Lighting Kit	LED Lamp Power: 30W Beads Quantity: 144pcs Color Temperature: 5500K(±100) Plug Type: EU Plug Voltage: 100-240V 50-60Hz Softbox Size: 50 * 70cm Color: Black & Silver Light Stand Material: Aluminium alloy Folded Length: 73cm / 28.7in Height: 80cm-200cm / 31.5in-78.7in Carrying Bag Color: Black	69 296	2	10,000.00	20,000.00	-	-	-	1	1	-	-	-	-	-	-	-	-
121	TV (Smart 32)	Display Type: FHD Screen Size: 32 inch Resolution: Full HD Smart TV Connectivity: WiFi, LAN Ports: USB; 2 x HDMI	350	2	14,950.00	29,900.00	-	-	-	-	-	-	-	-	-	-	-	-	2
122	TV (Smart 43)	Display: 4K UHD Screen Size: 43 inch Resolution: 3840 x 2160 Refresh Rate: 60FPS / TM120 Smart TV Screen Share: Yes	133	6	40,000.00	240,000.00	-	-	6	-	-	-	-	-	-	-	-	-	-
123	UPS (650VA Tower)	Power capacity: 650 VA 390 watts Tower	423	3	4,500.00	13,500.00	-	-	-	-	-	3	-	-	-	-	-	-	-
124	UPS (650VA)	Power capacity: 650 VA 390 watts	334	2	3,500.00	7,000.00	-	-	-	-	-	-	-	-	-	-	2	-	-
125	USB 3.0 Hub (4-port)	USB 3.0 Data Hub Extend 4 ports USB 3.0 1Meter Compatible for mouse, keyboard, flash drive HDD or more	126 159 341	54	1,000.00	54,000.00	-	-	44	-	-	-	-	-	-	-	10	-	-
126	USB Microphone (Condenser)	Desktop Microphone/Condenser Sample/Bit Rate: 48 kHz, 24-bit Frequency Response: 20Hz - 20kHz Max SPL: 122dB USB 1.1/2.0/3.0 includes: USB microphone (including desktop stand), 2m USB cable	126 123	11	10,000.00	110,000.00	-	1	10	-	-	-	-	-	-	-	-	-	-

127	USB Microphone (XLR)	Element: Fixed-charge back plate, permanently polarized condenser Polar Pattern: Cardioid Frequency Response: 20-20,000Hz Output Connector: Integral 3-pin XLRM-type Accessories: Stand Mount, Soft Protective Pouch	488	2	9,000.00	18,000.00	-	-	-	-	-	-	-	2	-	-	-	-	-
128	Video camera (no specs)	no specs provided	122	1	10,000.00	10,000.00	-	1	-	-	-	-	-	-	-	-	-	-	-
129	Video Conference Tablet (10.1 64GB 3GB)	Display size: at least 10.1 inches (diagonal) Memory: At least 3 GB RAM ROM: 64GB OS: at least Android 10 Rear Camera: at least 5MP Front Camera: at least 2 MP Wifi frequency at least 2 Ghz with simcard and micro SD slots bluetooth supported OTG/USB supported	334	3	14,500.00	43,500.00	-	-	-	-	-	-	-	-	-	-	3	-	-
130	Video Conference Tablet (10.5 8-core)	Technology: GSM/HSPA/LTE SIM: Nano-SIM Display Type: Super AMOLED Size: at least 10.5 inch Resolution: 1600 x 2560 pixels, 16:10 ratio (~288 ppi density) OS: at least Android 9.0 (Pie), upgradable to Android 11, One UI 3.1 Chipset: Qualcomm SDM670 Snapdragon 670 (10 nm) CPU: Octa-core (2x2.0 GHz 360 Gold & 6x1.7 GHz Kryo 360 Silver) Card Slot: microSDXC (dedicated slot) Internal: at least 64GB 4GB RAM eMMC 5.1 Battery type: Li-Po 7040 mAh, non-removable Main Camera: 13 MP, f/2.0, 26mm, 1/3.4", 1.0µm, AF Video: 4K@30fps	133	4	30,000.00	120,000.00	-	-	4	-	-	-	-	-	-	-	-	-	-
131	Video Conference Tablet (8.3 64GB)	Display: at least 8.3 inch Touch display with IPS Technology Chip: A15 Bionic chip with 64-bit architecture; 6-core CPU; 5-core graphics Storage: at least 64 GB Camera: at least 12MP; digital zoom up to 5x Video recording: 4K at 30 or 60fps; 1080p at 30 or 60 fps 802.11ax WiFi 6; simultaneous dual band (2.4 GHz and 5 GHz); Bluetooth 5.0	263	4	35,000.00	140,000.00	-	-	4	-	-	-	-	-	-	-	-	-	-

132	Video Conferencing bundle with expansion mic	Camera Smooth motorized pan, tilt and zoom controlled from remote or console Full HD 1080p 30fps H.264 UVC 1.5 with Scalable Video Coding (SVC) Autofocus; Far-end control (PTZ) of ConferenceCam Video mute/unmute LED indicator Standard tripod thread; Remote Control Camera, speakerphone, and call control Docks on speakerphone; IR 8.5 m range CR2032 battery (included) SPEAKERPHONE; Full-duplex performance Acoustic echo cancellation; Noise reduction technology Ultra-wideband audio; Microphones Pickup Range: 6 m; Pickup range with expansion mics: 8.5 m Four omnidirectional, beamforming microphones HUB / CABLES / POWER; Central Hub connects and powers all components; Under-table mounting adhesive included MOUNT; Dual-purpose bracket works for both wall mounting and tabletop elevation COMPATIBILITY AND CERTIFICATIONS Plug-and-play USB connectivity	133	6	100,000.00	600,000.00	-	-	6	-	-	-	-	-	-	-	-	-	-	
133	Video Stabilizer	Materials: Aluminum Alloy + ABS Bluetooth Version: V4.0 Bluetooth Distance: 10M Supported Phone Size: 4.0-6.2 inches OS Systems: Android 4.3 and above, iOS 5.1 and above	200	2	1,500.00	3,000.00	-	-	-	-	-	-	-	-	-	-	-	-	-	2
134	Wireless Keyboard (Multi-device w/ Stand)	Bluetooth smart technology Wireless range: 10 m wireless range Connect/Power: On/Off Switch with Stand Compatible for PCs, laptops, mobile devices, or more	126	10	3,000.00	30,000.00	-	-	10	-	-	-	-	-	-	-	-	-	-	-
135	Wireless Mouse	Connection Type: Bluetooth Classic (3.0) Wireless range: 10 m 1Wireless range Battery: 1 x AA DPI (Min/Max): 1000± Sensor technology: Laser-grade optical sensor	94 328	6	2,000.00	12,000.00	-	-	-	-	-	-	-	-	-	1	-	5	-	
136	Wireless Mouse (w/ Switch)	Connection Type: Bluetooth Classic (3.0) Wireless range: 10 m 1Wireless range Battery: 1 x AA DPI (Min/Max): 1000± Sensor technology: Laser-grade optical sensor With On/Off Switch	126	11	2,500.00	27,500.00	-	-	11	-	-	-	-	-	-	-	-	-	-	-
						<b>12,637,374.48</b>														
		Prepared by:																		
		<b>MARC GIL MANGROBANG</b>																		
		BAC-TWG																		