

Republic of the Phillipines
Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
SRDC Bldg., Elliptical Road corner Visayas Avenue,
Diliman, Quezon City

SUPPLEMENTAL BID BULLETIN ADDENDUM NO. 2021-05-020-01

This Addendum is issued to modify items in the Bid Documents. This shall form an integral part of the Bid Documents. The following agreements and reminders were discussed during the Pre-Bid Conference held last June 1, 2021 for the SUPPLY AND DELIVERY OF VARIOUS ICT EQUIPMENTS, SUPPLIES AND PERIPHERALS BATCH 3 FOR CY 2021- IB NO. BSWM 2021-05-020 with an ABC of Four Million Five Hundred Seventy-Two Thousand Seven Hundred Seventy-Three Pesos (Php 4,572,773.00).

The Bureau is now adopting the GPPB Resolution No. 16-2020 dated September 16, 2020 (Simplified PBDs shall be used for Competitive Bidding of Procurement Projects that will be posted upon its effectivity on 06 October 2020).

AGREEMENTS AND REMINDERS DURING THE PRE-BID CONFERENCE:

- ✓ The documents required for eligibility, technical proposal and financial proposal are found at Section VIII Checklist of Technical and Financial Documents of the bidding document.
- ✓ For SLCC, similar contract shall be contract for supply and delivery of various ICT supplies, equipment and peripherals and/or its equivalent, completed within 2 consecutive years from date of opening of bids.
 - The Bidder must have completed a single contract that is similar to this project, equivalent to at least fifty percent (50%) of the ABC (Php 2,286,386.50).
- ✓ Please see attached sample form for Single Largest Completed Contract (SLCC) and form for Statement of all ongoing Government & Private Contracts including Contracts Awarded but not yet started for your reference. (ANNEXES A and B)
 - **Note:** if no ongoing projects/ contracts, please state "none" or "no ongoing projects/contracts" in the form for the Statement of all on going Government and Private Contracts.
- ✓ Delivery of the Goods/Services is required as stated in the attached Revised Section VI. Schedule of Requirements (ANNEX C).
- ✓ Awarding is per item basis One Project having several items, which shall be awarded as separate contracts per item.

REVISED TECHNICAL SPECIFICATION:

Particular	Revised Specification				
Item #63:	Storage Backup Plus 6TB; External Hard Drive				



Reminders:

Please indicate the brand name and model of the item you are offering under the word "comply" for evaluation purposes.

Please see the attached Revised Section VII. Technical Specification (ANNEX D).

Bidders who wish to attend the Opening of sealed Bids will be allowed thru videoconferencing (via Zoom) as per GPPB Resolution No. 24-2018. Please coordinate with the BAC Secretariat a day before the Opening of bids thru bswm.bacsec@gmail.com. Said activity will also be available "live" through BSWM Procurement Service FB Page (https://www.facebook.com/bswmpms).

An authorization letter and photocopy of company ID for the representative of the bidders who shall submit bid proposal and will join the opening of bids on behalf of their company is required to be presented (including online attendees).

For bank-to-bank payment (Land bank of the Philippines) for the purchase of bidding documents, please coordinate with the BAC Secretariat thru bswm.bacsec@gmail.com.

REITERATION OF THE BIDDING DOCUMENTS:

 Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act"

"Any lacking documents can cause the automatic disqualification of bids."

Below are the **acceptable forms of bid security** that bidders may opt to use, **which shall include the Bid Securing Declaration.** The amount of which shall not be less than the required percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Not less than the required Percentage of the ABC)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Two percent (2%)
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%)

o Bidders have the option to choose from any of the four (4) forms of Bid Security provided in the bid documents including the Bid Securing Declaration.



Masaganang 🗛 🔃

Malaas na

- o Please be guided that the surety bond issued by GSIS as well as a cash deposit certificate is no longer accepted.
- The bidders are reminded that their Bids and Bid Securities should be valid and firm for a period that shall not exceed one hundred twenty (120) calendar days after the date of the opening of bids
- The computation of a prospective bidder's NFCC must be at least equal to the ABC to be bid, calculated as follows:

NFCC= [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under going contracts, including awarded contract yet to be started, coinciding with the contract to be bid.

Note: K= 15 is a constant factor per RA 9184 Revised IRR

The bidders are requested to submit two (2) separate envelopes, placed in one sealed envelope. An illustration is provided on the bidding documents showing the required envelopes and markings of the documents for the eligibility screening, technical and financial proposal.

The bidders shall submit one (1) copy of original documents (certified true copies) and one (1) duplicate copy.

o The bidders are reminded of the:

Requirements to be submitted within five (5) calendar days after the receipt of the Notice from the BAC that your bid has been identified as the Lowest Calculated Bid (LCB) and is subject for Post-Qualification of BAC TWG as stated in ITB Clause no. 20.2 of the Bid Documents.

Submission of the required Performance Security and Signed Contract Agreement within ten (10) calendar days after the receipt of Notice of Award (NOA) as Single/Lowest Calculated and Responsive Bid (SCRB/LCRB) as stated in RA 9184 Section 37.2.1 and Section 37.2.

In order to assure that manufacturing defects shall be corrected by the Supplier, a **warranty shall be required from the Supplier** as provided under Section 62.1 of the 2016 revised IRR of RA 9184 and as stated in the bidding documents Section VII- General Condition of Contract (GCC) Clause no. 5.

- Bidders may download the updated Bidding Forms as of October 6, 2020 at GPPB Website (https://www.gppb.gov.ph/downloadables.php).
- All bidders who wish to join the bidding shall download the attached document from PhilGEPS website
 to be included in the DRL (Document Request List). This is for awarding purposes in compliance to Section
 37.1.6 of RA9184.
- For easy reference, all bidders shall provide dog-ear codes in the presentation of their documents.
- All pages/documents must be duly signed by the authorized representative (original and duplicate proposal)





 In case of withdrawal of submitted proposal, a letter stating their intention to withdraw from the project should be submitted by the bidder before the scheduled Opening of Bids.

Deadline of submission of bidding documents is on June 15, 2021, 9:00AM.

Opening of Bids is on June 15, 2021, 9:30AM at BSWM Convention Hall. For precautionary measure against the COVID 19, attendance is through videoconferencing only.

Schedule of Submission and Opening of Bids is subject to change due to Community Quarantine enforced by the government in line with the COVID-19 pandemic. Please refer to the BSWM PhilGEPS posting for updates (https://www.philgeps.gov.ph/) and BSWM Procurement Service FB page https://www.facebook.com/bswmpms.

For guidance and information of all concerned.

DR/GINA P. NILO

Chairperson, Bids and Awards Committee

June 1, 2021





Republic of the Phillipines
Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
SRDC Bldg., Elliptical Road corner Visayas Avenue,
Diliman, Quezon City

ANNEX A

Statement of all Ongoing Government & Private Contracts Including Contracts Awarded but not yet Started

Business Addres	S:	:		Bidders Ro	ole	a.	Date Awarded	% of Accom	plishment	Value of
Name of Contract/ Project Cost	a. b. c.	Address	Nature of Work	Description	%	b. c.	Date Started Date of Completion	Planned	Actual	Outstanding Works / Undelivered Portion
Government						_				
						-				
						-				
Private										
						+				
								Total Cost		

Submitted by:	
	(Printed Name and Signature)
Designation:	
Date:	<u> </u>





Statement of Single Largest Completed Contract similar to the contract to be bid

Business Name	:	
Business Address	;	
Business Contact No	s and Email Address:	

	a. Owner's Name	Nature of	Bidder's R	ole	a. Amount at Award	a. Date Awarded
Name of Contract/Projects	b. Address c. Telephone Nos.	Work	Description	%	b. Amount at Completion c. Duration	b. Contract Effectivity c. Date Completed
Government / Private	11051					

Note: This statement shall be supported with any of the following documents during the Post-Qualification of the BAC:

- 1. Purchase Order and/or Contract of Agreement;
- 2. Certificate of Completion or End-user's Acceptance;
- 3. Official Receipt/s issued for the contract

Signature over Printed Name

[title or other appropriate designation]

[date of signing]



Annex C- REVISED SECTION VI. SCHEDULE OF REQUIREMENTS

Item #	Item Description	Quantity	Unit	Delivery days/weeks/months
	PR 2021-00-0034 SCMD R & D CORN			
1	Keyboard and Mouse Combo (Wireless Full-size) Long range wireless 2.4 GHz Full size keyboard and mouse Bluetooth receiver Plug and play with On/Off switch with CAPS lock indicator light	5	pc	Within 30 calendar days upon receipt of NTP
2	with battery indicator light USB 3.0 Hub (4-port), Ultra slim High speed USB splitter Portable extension data hub Compatible for mouse, keyboard, flash drive HDD or more	10	рс	Within 30 calendar days upon receipt of NTP
3	Flash Drive (OTG MicroB 64GB) OTG USB 3.0 up to 150 MB/s USB-A; Micro B 64 GB	20	рс	Within 30 calendar days upon receipt of NTP
4	External SSD, 500GB External Solid State Drive (SSD) Portable at least 550 MB/s transfer Weight should not exceed 140 g 500 GB	4	рс	Within 60 calendar days upon receipt of NTP
5	RAM Desktop (DDR4 16GB)	4	рс	Within 60 calendar days upon receipt of NTP
6	RAM Desktop (DDR3 8GB)	4	рс	Within 60 calendar days upon receipt of NTP
7	External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 1 TB	4	pc	Within 60 calendar days upon receipt of NTP
8	Internal Solid State Drive (SSD) at least 550 MB/s transfer SATA 500 GB	4	рс	Within 60 calendar days upon receipt of NTP
9	OTG USB 3.0 up to 150 MB/s USB-A; Type C 64 GB	15	рс	Within 30 calendar days upon receipt of NTP
	PR 2021-00-0042 SCMD MANILA BAY			
10	Compact all-in-one Printer: Print, copy, scan, wireless Print speed: Black (A4, ISO): Up to 8 ppm; Colour (A4, ISO): Up to 5 ppm; Print resolution: Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 x 1200 optimised dpi colour; Monthly duty cycle: Up to 1,000 pages A4; Scan File Type: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), TIFF (.tif) Scanner type: Single-page document feeder; Optical scan resolution: Up to 600 dpi Connectivity: 1 Hi-Speed USB 2.0; Wireless via built-in Wi-Fi 802.11b/g/n Mobile printing, Network via built-in wireless 802.11b/g/n, Compatible operating systems: Windows 10/8.1/8/7 Power Requirements: Input voltage 200 to 240 VAC, 50/60 Hz;	4	Unit	Within 60 calendar days upon receipt of NTP

11	Portable Sheetfed Document Scanner (Wireless) Scanner Type: A4 sheet-fed colour scanner Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Light Source: RGB LED Optical Resolution: 600 x 600 dpi Output Resolution: 50 - 1,200 dpi (in 1 dpi increments) Max Document Size: 216 x 1,828.8 mm Supported Paper Weight: 35 - 270 g/m2 Daily Scan Volume: Up to 300 sheets / day Scan Speed: 200dpi: 5.5sec; 300dpi: 5.5sec; 600dpi: 9.0sec Supported OS: Windows XP / Vista / 7 / 8 / 8.1 / 10 File Format: JPEG, PDF, Searchable PDF, DOCX, XLSX, PPTX	1	Unit	Within 60 calendar days upon receipt of NTP
	PR 2021-04-0691 SCMD Regular Fund			
12	Portable Scanner	4	pcs	Within 60 calendar days upon receipt of NTP
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage			1000IPE OF IVE
		-		
	Optical Resolution :600 x 600dpi Max Document Size: 216x1,828.8mm			
	Daily Scan Volume: Up to 300 sheets/day			
	Interface:USB 2.0 (Micro-B)			
	Resolution Colour/Monochrome): 200dpi: 5.5 sec 300			
	dpi: 5.5sec 600dpi: 9.0sec Action camera			
13	At @ 30 fps At least 12 mp Battery life up to 120 minutes Memory: Class 10 MicroSD and SDXC cards (or better) are acceptable, allows maximum storage up to 128 GB Has GPS, Voice control, Bluetooth, WiFi Waterproof: 60 m with housing and 10 m without housing Display: 2 in; touch screen Inclusive of: Housing; adhesive mount; HDMI to micro HDMI cable; 1 year warranty	2	pcs	Within 60 calendar days upon receipt of NTP
	PR 2021-04-0690 SCMD Regular Fund			
14	External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 2 TB	1	рс	Within 60 calendar days upon receipt of NTP
15	Headset with microphone Noise Isolating Can answer/end call Works with common calling applications across almost all platforms Single 3.5 mm jack Cable length: at least 1.8 m	35	pcs	Within 30 calendar days upon receipt of NTP
	Headphone Features: Noise Isolating, answer/end call,			
	high resolution			
	Input Impedance: 22 Ohms Sensitivity (headphone): 122 dB +/-3 dB			
	Sensitivity (microphone): -44 dBV/Pa +/- 2.5 dB			
	Frequency response (Headset): 20 Hz to 20 kHz			
	Frequency response (Microphone): 100 Hz to 6.5 kHz			
	Cable length: 1.8m dimension			
	Works with common calling applications across almost			
	all platforms			

	LIOD O O VI 1 (C			
1	USB 3.0 Hub (Gang-switch 4-port)			
1	With independent switch			
	Ultra slim			
16	High speed USB splitter	5	pcs	Within 30 calendar days upon
	Portable extension data hub			receipt of NTP
	Compatible for mouse, keyboard, flash drive HDD or			
	more			
	PR 2021-00-0095 WRMD RICE ESSETS			
	External Hard drive 2TB			
	Ultra Slim 2TB External Hard Drive Portable HDD			
	USB 3.0 for PC Laptop and Mac			
	Max Data Transfer: 120MB/s			
17	OS Required: Apple MacOS X 10.7 or later, Microsoft	8	рс	Within 60 calendar days upon
	Windows 7 or later		PC	receipt of NTP
	Cable Type: SuperSpeed USB cable	1		
	Color: any color			
	Includes free external drive bag/carry case			
	PR 2021-00-0104 WRMD INS VARIOUS			
	Printer			
	Printer Type: Print, Scan, Copy (Wireless, Duplex,			
	Refillable)			
	Maximum Print Resolution:			
	5760 x 1440 dpi (with Variable-Sized Droplet			
	Technology)			
	Minimum Ink Droplet Size: 3 pl			
	Maximum Paper Size:			
18	215.9 x 1200 mm (8.5 x 47.24")	_		Within 60 calendar days upon
10	Paper Size:	5	рс	receipt of NTP
	Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter,			Tecespe of 1411
	A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x			
	149 mm) 5 v 7" 4 v 6" Envisiones #10 PL 66			
	148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6			
	Scanner Type: Flatbed colour image scanner			
	Flatbed (Black / Colour):			
	200 dpi: 11 sec / 200 dpi: 28 sec			
	PD 2024 04 000 (VIII)			
	PR 2021-04-0824WRMD INS VARIOUS INS CONT. Smart LED TV			
19	Smart FED IA	2	pcs	Within 60 calendar days upon
	De aldiele Ton Division II DD		pes	receipt of NTP
	Backlight Type : Direct LED			
	Panel Type:Vertical Alignment			
	Panel Type:Vertical Alignment Screen Size: 32"			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEV)	E)		
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0)	:)		
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1			
	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO			
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1		Nia	Within 60 calendar days upon
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system)	3	piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black)		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area:		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin:		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10")		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin:		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVO USB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVO USB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVO USB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7",		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVO USB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6- 215.9mm, length 152.4-676mm) Prininting Resolutions:		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVC USB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6- 215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi		piece	Within 60 calendar days upon receipt of NTP
20	Panel Type:Vertical Alignment Screen Size: 32" Display Resolution: 1366*768 HD Smart TV: YES Operating System & Version: Android 9.0 or later Bluetooth: Yes Wifi Connectivity: YES usb Media File Playback: Photo, Video, Music, Text (HEVOUSB Ports: 2(2.0&3.0) HDMI Ports: 2 Ethernet: 1 PR 2021-04-0719 OAP STO All-in-one color printer (refillable ink tank system) Max. print resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi Print head/ink Type: Individual Ink Bottle Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black) Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available		piece	Within 60 calendar days upon receipt of NTP

	C			
	Scan			
	Scanner Type: Flatbed			
	Optical Resolution: 600x1200 dpi	1		
	Max. Document Size: A4/Letter			
	Сору			
	Max. Document Size: A4/Letter			
	Image Quality: Fast, Standard			
	Network			
	Protocol: SNMP, HTTP, TCP/IP (IPv4/IPv6)			
	Direct Connection (Wirelesss LAN): Available			
21	Multi-purpose geo-tagging device			Within 60 calendar days upon
21	30 10 11 11 11	16	piece	receipt of NTP
	Sim: hybrid slim slot			receipt of NTP
	Screen: FHD+IPS LCD Display	1		
	Size: 6.4 - 6.6 inches, 102.8 cm ²			
	Resolution: 1080x2400 pixels	-		
	Protection: Corning Gorilla Glass 5			
	OS: Android 10 with MIUI 12			
	Chipset: Qualcomm Snapdragon 732G			
	CPU: 2x Kryo 470 Gold @ 2.3GHz & 6x Kyro 470 Silver			
	@ 1.8GHz			
	GPU: Adreno 618			
	Card slot: Expandable up to 256GB via microSD			
	Internal: 128GB 6GB RAM			
	with 3.5mm jack			
22	Smart Television			Within 60 calendar days upon
22		1	piece	
	Backlight type: Direct LED	-		receipt of NTP
	Panel type: vertical alignment			
	Screen size: 32"	-		
	Dsplay resolution: 1366*768 (HD)			
	Smart TV: Yes			
	Operating system and version: Android 9.0			
	Chromecast built or wireless dispplay: Chromecast			
	Bluetooth: Yes			
	Wifi connectivity: Yes			
	USB media file playback: photo, video, music, text			
	(HEVC)			
	USB ports: 2			
	Ethernet: 1			
	PR 2021-04-0785 OAP PAEF			
23	Printer			Within 60 calendar days upon
		3		receipt of NTP
	All-in-one color printer (refillable ink tank system)			receipt of NTP
	Max. print resolution: 4800 (horizontal)*1 x 1200			
	(vertical) dpi			
	Print head/ink			
	Type: Individual Ink Bottle			
	link Rottle: Cl. 700 (Cyan Maganta Valley, Di-1)			
	Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black)			
	Printable Area:			
	Printable Area: Borderless Printing: top/bottom/right/left margin:			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10")			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin:			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7",			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm)			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions:			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter Scan Scanner Type: Flatbed			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6-215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter Scan Scanner Type: Flatbed Optical Resolution: 600x1200 dpi			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6- 215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter Scan Scanner Type: Flatbed Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6- 215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter Scan Scanner Type: Flatbed Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter			
	Printable Area: Borderless Printing: top/bottom/right/left margin: each 0mm Supported Paper Size: A4/Letter/4x6"/5x7"/8x10") Bordered Printing: top margin: 6mm, bottom margin: 6mm, left/right margin: 6mm Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7", Envelopes (DL, COM10), Custom size (width 101.6- 215.9mm, length 152.4-676mm) Prininting Resolutions: PIXMA Cloud Link: from smartphone or table: available Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter Scan Scanner Type: Flatbed Optical Resolution: 600x1200 dpi Max. Document Size: A4/Letter			

	Network		T	T
	Protocol: SNMP, HTTP, TCP/IP (IPv4/IPv6)			
	Direct Connection (AV)			
	Direct Connection (Wirelesss LAN): Available Home broadband			
	-2.4 & 5 GHz dual-band wifi			
24	- 2 to 3 LAN Ports	_		Within 30 calendar days upor
	-LTE technology	5		receipt of NTP
	-Network Type: 3G and 4G			Toocipe of IVII
	-Connects up to 5 devices			
	PR 2021-04-0787 OAP STO		+	
0.5	HDMI cable			TATELLE 20 1 1 1
25		2	pcs	Within 30 calendar days upor
	HDMI to HDMI		-	receipt of NTP
	2.0 V with Ethernet and Audio return channel			
	2.6 v with Ether net and Audio return channel			
	2 Latch Locking connector			
	24k gold plated copper contact for corrosion resistance			
	ALMG triple shield 100%			
	RoHS soft PVC jacket			
	4k Ultra HD			
	PR 2021-04-0786 OAP PAEF			
26	CPU case	2700		Within 20 calandar days
26		12	pcs	Within 30 calendar days upon
	Type: ARX Mid Tower		-	receipt of NTP
	Color: White		-	
	Side Panel Window: Acrylic			
	Front Panel UCD, *UCD 2 0 C 4 M			
	Front Panel USB: *USB 3.0 Gen 1 Type A; *USB 2.0 Type			
	A			
	Motherboard Form Factor:			
	-ATX			
	-Micro ATX			
	-Mini ITX			
	Full Height Expansion Slot: 7			
	Maximum Video Card Length:			
	380mm/14.961"			
	Dimensions:		-	
	- 464mm x 205 mm x 444 mm			
	- 18.268" x 8.071" x 17.48"			
	External 5.25" Bays: 2			
	Internal 2.5" Bays: 2			
	Internal 2.5" Bays: 1			
	Internal 3.5" Bays: 2			
	Volume:			
	- 42.233 L			
	- 1.491 cu. Ft.			
27	Uninterruptible power supply (UPS)			Within 30 calendar days upon
41		12		
	Power Capacity (VA): 1000 VA			receipt of NTP
	Frequency Range: 60 Hz			
	Freq. Range (Batt. Mode): 60 Hz ± 1 Hz			
	Transfer Time: Typical (4-8 ms)			
	Back-up Runtime: 10-15 mins			
	Voltage: 220 VAC			
	Voltage Range: 162-270 VAC			
	Power Output Connectors Details: 8 x power NEMA 5-			
	15			
	Cable Length: 6 ft			
20	DDR4 RAM (16gb)	650		Within 60 calendar days upon
28		12		
	Type: 288-pin DIMM			receipt of NTP
	Speed: DDR4-3400MHz			
	Size: 16gb (2 x 8 gb)			
	CAS Latency: 16			
	Voltage: 1.35V			
	Timing: 16-16-16-36			
	Color: Black			
	LED: RGB			
	PR 2021-04-0784 OAP PAEF			
00	Geotagging device			Within 60 calendar days upon
29	30 0	35	pcs	
	Sim: hybrid slim slot		C5:0	receipt of NTP
	Screen: FHD+IPS LCD Display			
	Size: 6.4 - 6.6 inches, 102.8 cm ²			
	DIVE: D.4 - D.D. Inches 107 9 cm ⁴			

	Resolution: 1080x2400 pixels	_		
	Protection: Corning Gorilla Glass 5			
	OS: Android 10 with MIUI 12	_		
	Chipset: Qualcomm Snapdragon 732G			
	CPU: 2x Kryo 470 Gold @ 2.3GHz & 6x Kyro 470 Silver	_	_	
	@ 1.8GHz			
	GPU: Adreno 618			
	Card slot: Expandable up to 256GB via microSD			
	Internal: 128GB 6GB RAM	-		
	with 3.5mm jack			
	Portable microphone with speaker			
30	of table interophone with speaker	2	pcs	Within 30 calendar days upon
	Can support FM radio, TF card, USB flash disk, AUX		1	receipt of NTP
	audio play and voice recording			
	LY-042=Voice Amplifier + TF/USB card speaker +			
	Bluetooth speaker + recorder + FM radio			
	Can amplify up to 33 feet away			
	UHF wireless transmission technology	-		
	With USB charge cable	-		
	Input: DC5V			
	Power: 4hp 9w			
	Working temp: -10°C~45°C			
	Charge time: 2-3 hours			
	MIC use time: 6 hours			
	Audio play time: 8-10 hours			
	PR 2021-00-0013 BULACAN REG			
	Wireles Presenter			
31	Wil cles i resenter	1	рс	Within 30 calendar days upon
	Color: Black		P -	receipt of NTP
	Laser Class: Class 2 Laser			
	Wave Length: 640~660nm (red light)			
	Battery type: 2 AAA batteries			
	Wireless operating distance: Approx 10m2			
	Wireless technology: 2.4 GHz wireless technology			
	Supported OS: Windows Vista, Windows 7, Windows 8			
	Interface: USB			
	Accessories: Carring case			
	Accessories, carring case			
	3.0 USB Hub and Card Reader Combo			
	- Power status LED indicator			
	- Multiple USB 3.0 interface Overcurrent and			
	undercurrent protection			
32	- Supports Windows XP, Windows 7, 8 and Mac OS	6	рс	Within 30 calendar days upon
	Linux		P	receipt of NTP
	- High speed data transfer up to 5 Gbps			1
	- Compatibility card: MS, M2, SD, TF			
	Wireless Mouse and Keyboard Combo			
	- 2.4 wireless technology			
	- up to 10 meters connection			
33	- on/off switch			Within 30 calendar days upon
33	full size keyboard	6	рс	receipt of NTP
	- plug and play			receipt of NTP
	- plug and play			
	Cosing Fan with LED			
	Casing Fan with LED			
34	- Material: polyethylene			Within 20 colondar 1
34	- Color: Black	14	pcs	Within 30 calendar days upon
	- Length: 1m			receipt of NTP
	- Outer Diameter: 8mm			
	Wire Spriral Wrap Sleeving Band Tube/ Cable Protector			
	- Material: polyethylene			
	Cala Plat		I	Within 20 calculant
35	- Color: Black	15		within 30 calendar days upon
35	- Color: Black - Length: 1m	15	pcs	Within 30 calendar days upon receipt of NTP
35	- Color: Black	15	pcs	
35	- Color: Black - Length: 1m - Outer Diameter: 8mm	15	pcs	
35	- Color: Black - Length: 1m - Outer Diameter: 8mm Mouse pad, comfort mouse pad with wrist rest gel			receipt of NTP
	- Color: Black - Length: 1m - Outer Diameter: 8mm Mouse pad, comfort mouse pad with wrist rest gel suppoort mat mice	15	pcs	receipt of NTP Within 30 calendar days upon
36	- Color: Black - Length: 1m - Outer Diameter: 8mm Mouse pad, comfort mouse pad with wrist rest gel	10	pcs	receipt of NTP Within 30 calendar days upon receipt of NTP
	- Color: Black - Length: 1m - Outer Diameter: 8mm Mouse pad, comfort mouse pad with wrist rest gel suppoort mat mice USB 3.0 flash drive, 32GB			receipt of NTP Within 30 calendar days upon receipt of NTP Within 30 calendar days upon
36	- Color: Black - Length: 1m - Outer Diameter: 8mm Mouse pad, comfort mouse pad with wrist rest gel suppoort mat mice	10	pcs	receipt of NTP Within 30 calendar days upon receipt of NTP

	Ctripping cable.			
	Stripping cable: Network Cable Tester:			
	This Network Cable Tester is for test of RJ11, RJ12,	1		
	RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc			
	This device be separated into two units: Main Unit and Remote Unit.			
	The Remote Unit allows you to test cables installed far			
	away either on patch panel or wall plate with the Auto- Test.			
	Mode and 9 LED indicators for testing each pin.			
	Compact and Light Weight.			
	Packaged with a leather case for storage. Powered by a 9V battery			
	Network Cable Crimper:			
	For cuts, strips and crimps for 8P8C/RJ-45, 6P6C/RJ12 6P4C/RJ-11, 4P4C & 4P2C in one tool	,		
	Packing Accessories:			
	1. Cross screwdriver:			
	Soft rubber handle, the cutter head and magnetic			
	treatment, used for disassembling desktop computers,			
	printers and other equipment screw 2. Flat screwdriver:			
	Soft rubber handle, the cutter head and magnetic			
	treatment for auxiliary disassembling components,			
	such as the CPU fan or casing, etc.			
	3. Network tester (for testing cables)			
	4. Crimping pliers			
	5. Wire stripping k nife			
	6. Stripping pliers k nife			
	7. K nife			
	8. Card k nife	7.44		
	9. Crystal Connectors (10pcs)			
	10. Plastic Box			
	11. Bag			
	Package Included:			
	1 x 9Pcs Network Computer Maintenance Repair Tool			
	Kit			
	1 x User Manual			
	1 x Storage Bag			
39	16-port Gigabit Switch	-1		Within 30 calendar days upon
		1	pc	receipt of NTP
	Standards and Protocols:			1000150 01 14 11
	802.3 10BASE-T Ethernet			
	802.3u 100BASE-TX Fast Ethernet			
	802.3ab 1000BASE-T Gigabit Ethernet			
	802.3z Gigabit Ethernet			
	802.3x flow control			
	802.1p priority			
	802.3az, Energy Efficient Ethernet			
	Ports16 RJ-45 connectors for 10BASE-T/100BASE-TX			
	LED Indicators			
	System/PWR, Link/Activity, 100M,* Gigabit,*			
	, , , , , ,			
	PR 2021-00-0015 BULACAN REG			
40	Portable Sheetfed Document Scanner		<u> </u>	Within 60 calendar days upon
40		1	Unit	- 1
	Maximum Resolution: 600 dpi			receipt of NTP
	Color Depth: 24-bit			
	Duplex Scanning			
	Scan Speed: 23-46 ipm			
	Minimum Scan Size: Letter			
	Maximum Scan Size: Legal			
	Media Handling: Automatic Document Feeder			
	Sheet Capacity: 20 Sheets			
	Daily Duty Cycle: 1000 scans			
	Connectivity: USB 2.0			
4.4	Wifi All-In-One Tank Printer			Within 60 1 1
41		1	Unit	Within 60 calendar days upon
				receipt of NTP

	Printer:			
	Minimum Printing Resolution: 1200 dpi			
	Ink type: Individual Ink Charge			
	Paper Size: A4, A5, B5, LTR, LGL, 4 x 6", 5 x 7", 8 x 10",			
	Envelopes (DL, COM10)			8
	Scanner:			
	Scanner Type: Flatbed & ADF			
	Scanning Method: Contact Image Sensor			
	Optical Resolution: 2400 x 4800dpi			1
	Colour: 48 bit			
	Additional Feature: Wireless Connectivity			
42	LED Display for PPT Presentation	1	Unit	Within 60 calendar days upo
	Screen Size: 40-inch			receipt of NTP
	Connectivity: Wifi, LAN			
	USB Port: USB 2.0 x1			
	TV Resolution: Full HD			
	HDMI port: 2			
	OS: Android Oreo Smart TV			
1	Wi-Fi Range Extender	-		
43	1991 STATE OF STATE O	2	рс	Within 30 calendar days upo
I.	- Speed: 2.4GHz band (300Mbps) and %GHz			
10	(433Mbps), stable dual band wi-fi extension,			
(compatible with any wi-fi router			
	PR 2021-00-0087 SWRRD NUE			
44	OTG 64GB on the Go USB micro	40		Within 30 calendar days upo
		13	рс	receipt of NTP
45	OTG 64GB on the Go USB Type C			Within 30 calendar days upon
10		15	pc	receipt of NTP
F	PR 2021-00-0087 SWRRD REGULAR			receipt of NTP
46	Wireless Headphones for conferences with		_	Within 20 colondar day
40 n	nicrophone	5	Unit	Within 30 calendar days upon
L	lightweight, folding design for ultimate music mobility			receipt of NTP
3	30 mm ferrite drivers for powerful, balanced sound			
1	10–24,000 Hz frequency range			
P	Padded earcups for comfortable listening			
P	PR 2021-00-0087 SWRRD RICE R & D			
111	JSB 2.4GHz Wireless PPT PowerPoint Presenter			
47 P	Pointer Clicker Laser Remote Control	2	рс	Within 30 calendar days upor
p	PR 2021-04-0692 SWRRD OAP-SHA		1	receipt of NTP
R	AM, 8GB Single DDR4 2666Mhz		-	
48	and, odd Single DDR4 2000[VIIIZ	5	pcs	Within 60 calendar days upor
C	asing, Mid Tower Chassis		F	receipt of NTP
49	doing, that Tower Chassis	5	pcs	Within 30 calendar days upon
M	fonitor; Resolution: 1920x1080p HDMI, VGA		Peo	receipt of NTP
50	iomeor, resolution. 1920x1080p HDMI, VGA	5	pcs	Within 30 calendar days upon
D	rocoggor Intel Cons IT OCOO (OIL C.)		Pes	receipt of NTP
51	rocessor, Intel Core i5-9600 (9th Gen)	5	nce	Within 30 calendar days upon
M	lethankarul 200		pcs	receipt of NTP
52 M	lotherboard, 360 series motherboard (9th Gen	5	nce	Within 30 calendar days upon
	ompatible)	J	pcs	receipt of NTP
53 H	ard disk, 1TB Capacity 7200RPM 3.5 inch	8	20.00	Within 60 calendar days upon
D		0	pcs	receipt of NTP
54 PG	ower Supply, 500W 80+High Efficiency	_		Within 30 calendar days upon
		5	pcs	receipt of NTP
55 In	iternal SSD, 500GB	8	pcs	Within 60 calendar days upon
TC W	ireless Mouse & Keyboard Combo keyboard:			receipt of NTP
56	de la composition de la compos	15	pcs	Within 30 calendar days upon
Na	ano receive			receipt of NTP
	ifi range (in metes): 10m			
Sil	lentTouch Technology			
Or	n/Off power switch			
M	ouse:			
Sil	ent touch Technology			
Co	entoured compact shape			
On	n/off power button			
57 Pr	inter All-in-one	10	(200-000)	Within 60 calendar days upon
		10	pcs	receipt of NTP
	nctions: Print, copy, scan, wireless			Toocipt of MTF
Fu	topy, souri, wireless			
Pri	inted speed black: ISO: Up to 8 ppm int speed color: ISO: Up to 5 ppm			

	Number of print cartridges: 1 black bottle, set of 3 colo	r		
	bottles			
	Connectivity			
	Wireless capability: Yes			
	Connectivity, standard: 1Hi-speed USB 2.0			
	Paper handling			
	Paper handling input, standard: 60 sheet input tray			
	Paper handling output, standard: 25 sheet output tray			
	Borderless printing: Yes, up to 8.5 x 11 in (US letter),	+		
	210x297mm (A4)			
	Scanner specification			
	Scanner type: Flatbed			
	Scan file format: JPEG, TIFF, PDF, BMP, PNG			
	Scan resolution, optical: Up to 1200 x 1200 dpi			
	Copier specifications			
	Copy resolution (black text): Up to 600 x 300 dpi			
	Copy resolution (color text and graphics): Up to 600 x			
	300 dpi			
58	Portable Scanner	5	pcs	Within 60 calendar days upo
	Scan Function		-	receipt of NTP
	Scanner type: A4 sheet-fed colur scanner		_	
	Sensor Type: Contact Image Sensor (CIS)		+	
	Scanning Method: Fixed document and moving			
	carriage			
	Light Source: RGB LED			
	Optical Resolution: 600 x 600 dpi			
	Output Resolution: 50-1,200 dpi (in 1 dpi increments)			
	Scanner Bit Depth (Colour):48-bit input, 24-bit output			
	Scanner Bit Depth (Grayscale): 16-bit input, 8-bit		-	
	output			
	Scanner Bit Depth (Black&White): 16-bit input, 1-bit output			
	Min Document Size: 50.8 x 50.8mm			
	Max Document Size: 21.6 x 1,828.8mm			
	Supported Paper Weight: 35-270/ g/m2			
	Daily Scan Volume: Up to 300 sheets/day			
	Interface: USB 2.0 (Mciro-B), Wi-fi			
	Scan Speed			
	Resolution (Colour/ Monochrome): 200dpi: 4.0 sec			
	(Battery) / 5.5sec (USB Bus powered)			
	300dpi: 4.0sec (Battery)/5.5sec (USB Bus powered)			
	600dpi: 9.0sec (Battery)/9.0sec (USB Bus powered) PR 2021-04-0696 SWRRD OAP R&D Continuing			
	Voice Recorder			
	General Features			
	Battery Type: Dry Battery			
	Built-In Memory: 4gb			
	Built-In Microphone: Stereo			
	Calendar Search: Yes			
	Maximum Files (Total): 5000			
	Pc Connectivity: Yes			
	Playback Format: Mp3/Wma/Aac-Lc/L-Pcm	2		Within 30 calendar days upor
	Recording	3	pcs	receipt of NTP
	Max. Recording Time Mp3 192 Kbps: 39 Hrs 45 Min			
	Interface			
	Input And Output Terminals			
	[Pc I/F] Hi-Speed Usb [Input] Stereo Mic-In Jack			
	[Output] Stereo Earphone Jack			
	Concluded provided Pr			
- 1				
	PR 2021-04-0695 SWRRD Regular Fund			

	YAZ. 1. C. T.C.			
	Web camera for PC			
	Specifications:			
	Product Type: USB Video Camera			
	Color: Black			
	Material: ABS			
	Mirrored: Yes			
	¥			
	Lens:			
	Image Sensor: 1/2.7 2MP			
	Image Range: 1.5-5 meters			
60	Lens: 4.0mm	10	unit	Within 30 calendar days upo
	Connectivity:		dine	receipt of NTP
	Wired: Yes			
	Interface Cable: 2.0 USB	1		
	Cable length: 1.5m			
	FOV: 360-degrees			
	Sensor Type: CMOS			
	Pixels: 2 mega-pixels			
	Video Frame rate: 30FPS			
	Detection distance: 5 meters			
	Video Resolution: 1920 x 1080P			
	Compatibility:			
	Suitable for: Video conferencing, video calls, HD			
	recording, live online classes, etc.			
	Chat software support: Yahoo, MSN, QQ, Alitalk,			
	WeChat, Nail nail, YouTube, Facebook, Skype.			
	WhatsApp, LINE			
	System Support: Windows 7, Windows 8, Windows XP,			
	Windows 10, Mac IOS, VISTA, etc.			
	PR 2021-00-0046 ALMED SEMLUR/NPAAAD/REG			
61	All-in-one Ink Tank Printer with ADF			TATELL' CO. 1
61	WILLIAM I	1	Pack	Within 60 calendar days upor
	High-quality printing			receipt of NTP
	Print, scan, copy, fax with Automatic Document Feeder			
	and Flatbed feeder			
	Spill-free, error-free refilling			
	High wield into heather			
	High yield ink bottles			
	Borderless printing			
62	Printer with ADF 4-in-1: Print, copy & scan and	3	11	Within 60 calendar days upon
	borderless photo printing	3	Unit	receipt of NTP
	Wi-Fi Direct, Ethernet: Print from mobile devices			1000.00 01 11 11
	Scanner type: Contact image sensor (CIS)			
	Scan Optical Resolution: 1,200 DPI x 2,400 DPI			
	(Horizontal x Vertical)			
	Single-sided scan speed (A4 colour): 200 dpi (with			
	ADF); , 4.5 ipm with ADF scan 200 dpi (flatbed) 29 sec.			
	with flatbed scan			
	ADF:30 pages			
	Paper tray capacity: 100 sheets standard			
	Storage Backup Plus 6TB; External Hard Drive			
63		7	рс	Within 60 calendar days upon
	UPS, 650 VA 390 watts UPS			receipt of NTP
64	, matts of 9	6	рс	Within 30 calendar days upon
	Monitor, 21.4", Panel type: TN 1920x1080		1	receipt of NTP
65	resolution resolution	4	рс	Within 30 calendar days upon
		A.	PC	receipt of NTP
	Portable Projector: Native Resolution:			
	800x480, LCD, LED 34-130 inch,			
	Manual Control			
	TV/HDMI/USB/AV/VGA/SD , Audio file			*****
66	Format: WMA,MP3, M4A,	2	рс	Within 60 calendar days upon
	Image File: JPEG, BMP, PNG		A	receipt of NTP
	Video File: RM/RMVB, MPEG1, MPEG2, H264, MOV,			
	MJPEG, FLVVVCI, DIVX, etc.			
	All-in-One Multifuction Printer			
	High Quality printing, Print, scan copy, fax w/			
67	automatic document feeder and flatbed feeder, Spill	1	nc	Within 60 calendar days upon
0/	and flatbed feeder, Spill	1	рс	receipt of NTP
67	free, error free refilling High Viold intrhattles	1		Tecenni or iv i b
	free, error free refilling, High Yield ink bottles, boardless printing			receipt of NTP

	Printer 4 in 1: Print Method: On-demand inkjet (piezoelectric) Maximum Print Resolution: 5760 x 1440 dpi			
68	(with variable-sized droplet technology) Print Direction: Bi-directional printing, Undirectional printing Maximum Copy Size: A4, Letter	2	рс	Within 60 calendar days up receipt of NTP
69	Geo-Tagging Device: 6-6.5" Full View Display, 2340 x 1080 high resolution, Android 8.1, 4gb+64gb GPS/APS/Glonass, Bluetooth, Micro Usb, Wifi direct, Wifi Hotspot, Fingerprint sensor, proximity, front cam: 16m, Rear cam: 13m Battery: 4000 maH	8	рс	Within 60 calendar days up receipt of NTP
70	Wifi Router (2402Mbps+574Mbps) External Antenna x 4, 2.4 Ghz 2 x 2; 5Ghz 2 x 2, Transmit/receive: 2.4 GHz x 2; 5 GHz 2x2, processor: 1.5 GHZ tri-core processor. Operation Mode: Wireless router mode; access point mode; Media Bridge Mode Processor: 1.5 Ghz tri-core processor	4	рс	Within 30 calendar days upor receipt of NTP
71	Digital Camera Type: 1/2 3 type back-illuminated CMOS, Type: DIGIC 4+ with Isaps technology, Zoom: Optical 25x, ZoomPlus50x, FOCUSING, Type:TT, Limage Size: , 4:3 - (L) 5184 x 3888, (MI) 3648 x 2736, (M2) 2048 x 1536, (M) 2592 x 1944, (S) 640 x 480, 16:9 - (L) 5184 x 2912 (MI) 3648 x 2048, (M20 2048 x 1368, (S) 640 x 424, 1:1 - (L) 3888 x 3888, (MI) 2736 x 2736, (M1) 2736 x 2736, (M2) 1536 x 1536, (S) 480 X 480, Resize option available in playback, Hi-Speed USB dedicated connector (Micro-B compatible)	2	рс	Within 60 calendar days upo receipt of NTP
72	NAS Storage: Gigabit Ethernet, USB 3.0 5 GB/s (Max, USB 2.0 480 mb/s (Max)	3	рс	Within 30 calendar days upo
73	Display Monitor: 27", IPS Technology, Full HD 1080 res., Display Port and VGA input	2	рс	receipt of NTP Within 30 calendar days upo receipt of NTP
74	PR 2021-00-0087 LSD REGULAR Desktop Memory, 32GB, DDR4, 3600MHz			Within 60 calendar days upon
75	Desktop Memory, 8GB, DDR3, 1600MHz	3	Unit	receipt of NTP Within 60 calendar days upor
76	Power Supply Unit, True-rated, RAVE 80 PLUS	3	Unit	receipt of NTP Within 30 calendar days upon
77	800WATTS Power Adapter, 100 cm, 24W, Voltage Input: AC 100-240V Electric Current: Max. 2A	5	box	receipt of NTP Within 30 calendar days upor receipt of NTP
78	USB Keyboboard Vacuum Cleaner, Power: 8W Voltage: DC 5V Power supply: Usb charging Battery capacity: 2000mAh colour:black Material:ABS PR 2021-00-0087 LSD PD 1435	5	pc	Within 30 calendar days upon receipt of NTP
79	Memory Ram, SODIMM, 16GB, 3200MHz, DDR4C CL22	3	рс	Within 60 calendar days upon receipt of NTP
80	PR 2021-00-0050 SSD REG Keyboard and mouse wireless combo, wireless range: 10m, 2.4GHz wireless connectivity compatible for tablet, laptop	2	pcs	Within 30 calendar days upon receipt of NTP
51	External Drive SSD, USB 3.0/3.1 atleast 500 GB	2	pcs	Within 60 calendar days upon receipt of NTP
32	PR 2021-00-0118 Planning REGULAR OTG (Micro-USB, 32gb)	20	pcs	Within 30 calendar days upon receipt of NTP
33	PR 2021-04-0612 Planning REGULAR Desktop Microphone	4	unit	Within 30 calendar days upon
	Sample Rate: 48kHz			receipt of NTP
	Bit Rate: 16-bit Capsules: 3 Blue-proprietary 14mm condenser capsules			

	Polar Patterns: Cardioid, Bidirectional, Omnidirectional Stereo	,		
	Frequency Response: 20 Hz-20 kHz	-		
	Impedance: 16 ohms			
	Power Output (RMS): 130mW			
	USB 1.1/2.0/3.0		_	
84	Speaker			Within 30 calendar days u
		4	unit	receipt of NTP
	Speaker Type Full Range			Teceipt of NTF
	Input and Output Terminals Stereo Mini Jack (IN),			
	micro USB			
	Frequency Transmission Range 20 Hz-20,000 Hz (44.1			
	kHz sampling)			
	Battery Life Approx. 12 hours (Standard mode/lighting off)			
	Approx. 10 hours (EXTRA BASS mode/\lighting on)			
	Extra Bass sound with Live Sound mode 20 Hz-20,000			
	Hz (44.1 kHz sampling)			
	PR 2021-02-284 GSITD REG			
	Motherboard (for Ryzen 9 3rd Gen), compatible with			
85	Ryzen 9 (3rd Gen)			Within 20 l
65	Socket type: AM4+	2	Unit	Within 30 calendar days up
	Chipset: x570			receipt of NTP
86	Fiber Module			Within 30 calendar days up
1,50,500		4	рс	receipt of NTP
	Monitor (4K 55)			
87	Size: at least 55 inches	1	Unit	Within 30 calendar days up
	Resolution: 4K UDH		7,275.21	receipt of NTP
	Keyboard and Mouse Combo (Wireless Full-size)			
- 1	Long range wireless 2.4 GHz			
	Full size keyboard and mouse			
XX I	Bluetooth receiver	15	77. 11	Within 30 calendar days up
	Plug and play	15	Unit	receipt of NTP
	with On/Off switch			
	with CAPS lock indicator light			
,	with battery indicator light			
00	RAM Desktop (DDR4 16GB)			With the CO. It is
89	Memory type: DDR4 for desktop	1	Unit	Within 60 calendar days up
	Capacity: 16 GB (1 x 16GB)			receipt of NTP
l N	RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop			
90	Capacity: 8 GB (1 x 8GB)	4	Unit	Within 60 calendar days up
	Speed: 1600 MHz	1000		receipt of NTP
	SSD (Internal 500GB)			
I	nternal Solid State Drive (SSD)			
	at least 550 MB/s transfer			Within 60 calendar days upo
	SATA	1	Unit	receipt of NTP
	500 GB			1335.pt 61 1(11
	PSU (500)			
	Power Supply Unit (PSU)	8	Timin	Within 30 calendar days upo
5	500 w with 80% efficiency	0	Unit	receipt of NTP
	Monitor (FHD 27)			•
	ize: at least 27 inches			Within 20 calandaria
93 F	Resolution: 1920 x 1080 FHD	5	Unit	Within 30 calendar days upo
	PS Panel			receipt of NTP
S	SD (Internal M.2 NVMe 500GB)			
Ir	nternal Solid State Drive (SSD)			
94 a	at least 3 GB/s transfer	2	Unit	Within 60 calendar days upo
1 50	1.2 NVMe			receipt of NTP
	500 GB			
5 PS	SU (1000) Power Supply Unit (PSU)	1	IIia	Within 30 calendar days upo
1	.000 w 80 plus gold modular	1	Unit	receipt of NTP
Ca	asing (Desktop Full Tower)			7
6 De	esktop casing with tempered glass side panel	2	IIwit	Within 30 calendar days upo
T	ype: Full Tower	4	Unit	receipt of NTP
	ISB 3.0			
	AM Desktop (DDR4 3600 32GB 2x16)			
	emory type: DDR4 for desktop	- 1		Within CO - 1
	apacity: 32 GB (2 x 16GB)	1	Unit	Within 60 calendar days upo
	peed: 3600 MHz			receipt of NTP
1 3 4	Iulti-channel	- 1		

98	HDD (Internal 4TB) Internal Hard Disk Drive (HDD) at least 5900 RPM 3.5 inch 4 TB	1	Unit	Within 60 calendar days upor receipt of NTP
99	PR 2021-02-284 GSITD NSST Casing (Desktop Mid Tower) Desktop Casing Type: Mid Tower USB 3.0	5	Unit	Within 30 calendar days upon receipt of NTP
100	PR 2021-04-0701 GSITD AFACI (TRUST FUND) Laptop (i7 Touch) Processor: at least i7 Memory: atleast 16GB Display: atleast 13.9: UHD Touch IPS Display Storage: 1TB SSD Input Keyboard: 85-key (Illumintated keyboard) USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader	2	pcs	Within 60 calendar days upon receipt of NTP
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader	2	pcs	Within 60 calendar days upon receipt of NTP
102	PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen)			Within 30 calendar days upon
102	Ryzen 9 3900x 12-core (3rd Gen) Motherboard (for Ryzen 9 3rd Gen)	2	pcs	receipt of NTP
103	compatible with Ryzen 9 (3rd Gen) Socket type: AM4+ Chipset: x570	2	pcs	Within 30 calendar days upon receipt of NTP
104	RAM Desktop (DDR4 3600 32GB 2x16 RGB) Memory type: DDR4 for desktop Capacity: 32 GB (2 x 16GB) Speed: 3600 MHz Multi-channel RGB	2	pcs	Within 60 calendar days upon receipt of NTP
105	SSD (Internal M.2 NVMe 500GB) Internal Solid State Drive (SSD) at least 3 GB/s transfer M.2 NVMe 500 GB	2	pcs	Within 60 calendar days upon receipt of NTP
106	SSD (External USB3.1 500GB) External Solid State Drive (SSD) Portable USB 3.1 at least 550 MB/s transfer Weight should not exceed 140 g 500 GB	2	pcs	Within 60 calendar days upon receipt of NTP
107	Monitor (FHD 27) Size: at least 27 inches Resolution: 1920 x 1080 FHD IPS Panel	2	pcs	Within 30 calendar days upon receipt of NTP
108	Mouse Bluetooth mouse Sensor technology: Advanced optical tracking Sensor resolution: 1000	2	pcs	Within 30 calendar days upon receipt of NTP
109	Keyboard and Mouse Combo (Wireless) Long range wireless 2.4 GHz Bluetooth receiver Plug and play	2	pcs	Within 30 calendar days upon receipt of NTP

Speaker Type: Full Range		Consider (Dect 11.2)			
Type: Closed Dynamic Volume Control: Yes Buettoth Version 5 Battery Charge Method: USB Type-C Camera (Webcam 4K) Multiple Resolutions 4 k/3 or PS 10809/30 or 60PPS 720/30, 60 or 90 PPS 120 Focus Type: stutofocus Lens Type: glass Built-in mic: stereo, dual omni-directional Digital Zoom: 5x USB Connectivity USB-A plus and play HDR Clear image Voice Recorder built-in memory: 4GB Built-in Microphone: Stereo (5-Mico LDB Stutien Microphone: Stereo (110	Sound Modes: Extra Bass, stamina Mode Bluetooth Version 5 USB Type-c	2	pcs	Within 30 calendar days upon receipt of NTP
Multiple Resolutions 4k/30 FPS 10809/30 or 60FPS 10809/30 or 60FPS 120p(3) 0.6 of 90 FPS	111	Typre: Closed Dynamic Volume Control: Yes Bluettoth Version 5 Battery Life: approx 30hrs Battery Charge Method: USB Type-C	2	pcs	
built-in memory: 4GB Built-in Microphone: Stereo (S-Mico) LCD Backlight: Yes Recording Sene Select Sync Recording Function Recording Monitor Earpod Earpod Type: Closed Dynamic Volume Control: Yes 114 Buttery Life: approx 5hrs Battery Charging Method: USB Charging w/ case Features: Extra Bass Microphone (Desktop) Sample Rate: 48kHz Bit Rate: 16-bit Capsules: 3 Blue-proprietary 14mm condenser capsules Polar Patterns: Cardiold, Bidirectional, Omnidirectional, Stereo Frequency Response: 20 Hz-20 kHz Impedance: 16 ohms Power Output (RMS): 130mW USB 3.0 with backward compatibility PR 2021-04-0804 GSTID DCAF (TRUST FUND) HDD (External 2TPB) PR 2021-04-0716 GSTID DCAF (TRUST FUND) Tablet Display: at least 10 inches (diagonal) Memory: at least 20 RAM at least 32 GROM OS: at least Android 10 Rear aramera: at least 5MP front camera: at least 5MP with sincard and microSD slots Bluetooth supported OTG / USB supported Battery: at least 500 mAH PR 2021-04-0776 GSTID DCAF (TRUST FUND) 118 Processor (I7 11th Gen) Intel Core I7 (11th Gen) 1 PC Within 30 calendar days upon	112	Multiple Resolutions 4k/30 FPS 10809/30 or 60FPS 720p/30, 60 or 90 FPS Focus Type: sutofocus Lens Type: glass Built-in mic: stereo, dual omni-directional Digital Zoom: 5x USB Connectivity USB-A plus and play HDR clear image	2	pcs	
Earpod Earpod Type: Closed Dynamic Volume Control: Yes Waterproof: IPX4 Equivalent Battery Life: approx Shrs Battery Life: approx Shrs Battery Life: approx Shrs Battery Charging Method: USB Charging w/ case Features: Extra Bass Microphone (Desktop) Sample Rate: 48kHz Bit Rate: 16-bit Capsules: 3 Blue-proprietary 14mm condenser capsules Polar Patterns: Cardioid, Bidirectional, Omidirectional, Stereo Frequency Response: 20 Hz-20 kHz Impedance: 16 ohms Power Output (RMS): 130mW USB 3.0 with backward compatibility PR 2021-04-0804 GSTD DCAF (TRUST FUND) HDD (External 2TB) External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 2 TB PR 2021-04-0716 GSTD DCAF (TRUST FUND) Tablet Display: at least 10 inches (diagonal) Memory: at least 2G RAM at least 32G ROM OS: at least Android 10 Rear camera: at least 5MP front camera-at least 5MP Wifi frequency at least 2GLz with simcard and microSD slots Bluetooth supported OTG / USB supported OTG / USB supported DTG / USB / U	113	built-in memory: 4GB Built-in Microphone: Stereo (S-Mic0 LCD Backlight: Yes Recording Scene Select Sync Recording Function	2	pcs	
Sample Rate: 48kHz Bit Rate: 16-bit Capsules: 3 Blue-proprietary 14mm condenser capsules Polar Patterns: Cardioid, Bidirectional, Omnidirectional, Stereo Frequency Response: 20 Hz-20 kHz Impedance: 16 ohms Power Output (RMS): 130mW USB 3.0 with backward compatibility PR 2021-04-0804 GSITD DCAF (TRUST FUND) HDD (External 2TB) External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 2 TB PR 2021-04-0716 GSITD DCAF (TRUST FUND) Tablet Display: at least 10 inches (diagonal) Memory: at least 2G RAM at least 32G ROM OS: at least Android 10 Rear camera: at least 2MP Wifi frequency at least 2Chz with simcard and microSD slots Bluetooth supported OTG / USB supported Battery: at least 500 mAH PR 2021-04-0776 GSITD DCAF (TRUST FUND) 118 Processor (i7 11th Gen) Intel Core i7 (11th Gen) 1 PC Within 30 calendar days upon receipt of NTP Within 30 calendar days upon receipt of NTP Within 30 calendar days upon receipt of NTP	114	Earpod Earpod Type: Closed Dynamic Volume Control: Yes Waterproof: IPX4 Equivalent Battery Life: approx 5hrs Battery Charging Method: USB Charging w/ case Features: Extra Bass	2	pcs	
HDD (External 2TB) External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 2 TB PR 2021-04-0716 GSITD DCAF (TRUST FUND) Tablet Display: at least 10 inches (diagonal) Memory: at least 2G RAM at least 32G ROM OS: at least Android 10 Rear camera: at least 5MP front camera: at least 2MP Wiff frequency at least 2Ghz with simcard and microSD slots Bluetooth supported OTG / USB supported Battery: at least 500 mAH PR 2021-04-0778 GSITD DCAF (TRUST FUND) 118 Processor (i7 11th Gen) Intel Core i7 (11th Gen) 1 PC Within 60 calendar days upon receipt of NTP Within 60 calendar days upon receipt of NTP	115	Sample Rate: 48kHz Bit Rate: 16-bit Capsules: 3 Blue-proprietary 14mm condenser capsules Polar Patterns: Cardioid, Bidirectional, Omnidirectional, Stereo Frequency Response: 20 Hz-20 kHz Impedance: 16 ohms Power Output (RMS): 130mW USB 3.0 with backward compatibility	2	pcs	
Tablet Display: at least 10 inches (diagonal) Memory: at least 2G RAM at least 32G ROM OS: at least Android 10 Rear camera: at least 5MP front camera:at least 2MP Wifi frequency at least 2Ghz with simcard and microSD slots Bluetooth supported OTG / USB supported Battery: at least 500 mAH PR 2021-04-0778 GSITD DCAF (TRUST FUND) Processor (i7 11th Gen) Intel Core i7 (11th Gen) 1 PC Within 30 calendar days upon	116	HDD (External 2TB) External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 2 TB	15	pcs	
Processor (i7 11th Gen) Intel Core i7 (11th Gen) 1 PC Within 30 calendar days upon	117	Tablet Display: at least 10 inches (diagonal) Memory: at least 2G RAM at least 32G ROM OS: at least Android 10 Rear camera: at least 5MP front camera:at least 2MP Wifi frequency at least 2Ghz with simcard and microSD slots Bluetooth supported OTG / USB supported Battery: at least 500 mAH	6	unit	
116 PC Welling of calculate days upon					With: 20 1 1
TOOLDE OF THE PARTY OF THE PART	118	(22m den) men ooi e i/ (11m den)	1	PC	

	Territoria de la companya della companya della companya de la companya della comp			
119	Motherboard (for i7 11th Gen) compatible with Intel Core i7 (11th Gen) Socket type: LGA1200 Chipset: x590	1	PC	Within 30 calendar days upon receipt of NTP
120	RAM Desktop (DDR4 3600 32GB 2x16 RGB) Memory type: DDR4 for desktop Capacity: 32 GB (2 x 16GB) Speed: 3600 MHz Multi-channel RGB	1	PC	Within 60 calendar days upon receipt of NTP
121	SSD (Internal M.2 500GB) Internal Solid State Drive (SSD) M.2 500 GB	1	PC	Within 60 calendar days upon receipt of NTP
122	Computer Casing, Full-Tower size with USB 3.0	1	PC	Within 30 calendar days upon receipt of NTP
123	PSU (500) Power Supply Unit (PSU) 500 w with 80% efficiency	1	PC	Within 30 calendar days upon receipt of NTP
124	Monitor (FHD 27) Size: at least 27 inches Resolution: 1920 x 1080 FHD IPS Panel	1	PC	Within 30 calendar days upon receipt of NTP
125	Keyboard and Mouse Combo (Wireless Full-size) Long range wireless 2.4 GHz Full size keyboard and mouse Bluetooth receiver Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light	5	PC	Within 30 calendar days upon receipt of NTP
126	Microphone (Desktop) Sample Rate: 48kHz Bit Rate: 16-bit Capsules: 3 Blue-proprietary 14mm condenser capsules Polar Patterns: Cardioid, Bidirectional, Omnidirectional, Stereo Frequency Response: 20 Hz-20 kHz Impedance: 16 ohms Power Output (RMS): 130mW USB 3.0 with backward compatibility	2	PC	Within 30 calendar days upon receipt of NTP
127	Camera (Webcam FHD w/ mic) Multiple resolution 1080p/30fps (up to 1920 x 1080 pixels) 720/30fps (up to 1280 x 720 pixels) with supported clients H. 26 Focus Type: auto focus Lens Type:glass Built-n mic: stereo, dual omni-directional	3	PC	Within 30 calendar days upon receipt of NTP
	PR 2021-04-0687 Bukidnon Regular Fund			
128	Tablets: 8 inch display, At least 3gb RAM,)OS: Android Octa Core, at 32 GB (storage) at Least 5mp(Camera)	11	unit	Within 60 calendar days upon receipt of NTP
129	PR 2021-04-0752 Tanay OAP Cont. Keyboard (wired color black)	5	pcs	Within 30 calendar days upon
130	Printer USB cable wire (for Epson Printer)	5	pcs	receipt of NTP Within 30 calendar days upon receipt of NTP
131	OTG for IOS iXpand USB 3.0, 256GB	2	pcs	Within 30 calendar days upon receipt of NTP
132	Wireless n150 USB Adapter	5	pcs	Within 30 calendar days upon receipt of NTP
133	PR 2021-04-0697 Budget Regular Fund Processor-Intel Core i7-9700 (9th Gen)	2	pcs	Within 30 calendar days upon
134	Processor-Intel Core i7-6700 (6th Gen)	2	pcs	receipt of NTP Within 30 calendar days upon
	Internal SSD-Capacity 500GB			receipt of NTP Within 60 calendar days upon
135		5	pcs	receipt of NTP

139	PR 2021-04-0705 DO Regular Fund Wireless Telephone	4	unit	Within 30 calendar days upon receipt of NTP
138	PSU-500W 80% Efficiency	2	pcs	Within 30 calendar days upon receipt of NTP
137	Hard Disk-2TB 7200RPM 3.5"	3	pcs	Within 60 calendar days upon receipt of NTP

Annex D-SECTION VII. TECHNICAL SPECIFICATIONS

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g., production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification		Statement of Compliance
		Comp paran corre equip "Not a Bi evide man unco comp indep state subse evide evalu in the supp eithe or the liable	ders must state here either "Comply" or "Not only" against each of the individual meters of each Specification stating the esponding performance parameter of the oment offered. Statements of "Comply" or Comply" must be supported by evidence in idders Bid and cross-referenced to that ence. Evidence shall be in the form of infacturer's un-amended sales literature, anditional statements of specification and obliance issued by the manufacturer, samples, beendent test data etc., as appropriate. A ment that is not supported by evidence or is equently found to be contradicted by the ence presented will render the Bid under unation liable for rejection. A statement either we Bidder's statement of compliance or the corting evidence that is found to be false or during Bid evaluation, post-qualification we execution of the Contract may be regarded and under and render the Bidder or supplier the for prosecution subject to the applicable and issuances.]
Item#	Item Description		Statement of Compliance
1	PR 2021-00-0034 SCMD R & D CORN Keyboard and Mouse Combo (Wireless Full-size) Long range wireless 2.4 GHz Full size keyboard and mouse Bluetooth receiver Plug and play with On/Off switch with CAPS lock indicator light)	
2	with battery indicator light USB 3.0 Hub (4-port), Ultra slim High speed USB splitter Portable extension data hub Compatible for mouse, keyboard, flash drive HD more	D or	
3	Flash Drive (OTG MicroB 64GB) OTG USB 3.0 up to 150 MB/s USB-A; Micro B 64 GB		
4	External SSD, 500GB External Solid State Drive (SSD) Portable at least 550 MB/s transfer Weight should not exceed 140 g 500 GB		
5	RAM Desktop (DDR4 16GB)		
6	RAM Desktop (DDR3 8GB)		
7	External Hard Disk Drive (HDD) Portable Compatible with Windows and Mac at least 120 MB/s transfer Weight should not exceed 140 g 1 TB		

	D (00D)	
	Internal Solid State Drive (SSD)	
8	at least 550 MB/s transfer	
O	SATA	
	500 GB	
	OTG	
•	USB 3.0 up to 150 MB/s	
9	USB-A; Type C	
	64 GB	
	PR 2021-00-0042 SCMD MANILA BAY	
	Compact all-in-one Printer: Print, copy, scan, wireless	
	Print speed: Black (A4, ISO): Up to 8 ppm; Colour (A4,	
	ISO): Up to 5 ppm;	
	Print resolution: Black (best): Up to 1200 x 1200	
	rendered dpi; Colour (best): Up to 4800 x 1200	
	optimised dpi colour;	
	Monthly duty cycle: Up to 1,000 pages A4;	
	Scan File Type: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf),	
	PNG (.png), TIFF (.tif)	
10	Scanner type: Single-page document feeder;	
10	Optical scan resolution: Up to 600 dpi	
	Connectivity: 1 Hi-Speed USB 2.0; Wireless via built-in	
	Wi-Fi 802.11b/g/n	
	Mobile printing, Network via built-in wireless	
	802.11b/g/n,	
	Compatible operating systems: Windows 10/8.1/8/	
	7	
	Power Requirements: Input voltage 200 to 240 VAC,	
	50/60 Hz;	
	Portable Sheetfed Document Scanner (Wireless)	
	Scanner Type: A4 sheet-fed colour scanner	
	Sensor Type: Contact Image Sensor (CIS)	
	Scanning Method: Fixed document and moving	
	carriage	
	Light Source: RGB LED	
	Optical Resolution: 600 x 600 dpi	
	Output Resolution: 50 - 1,200 dpi (in 1 dpi	
	increments)	
11	Max Document Size: 216 x 1,828.8 mm	
	Supported Paper Weight: 35 - 270 g/m2	
	Daily Scan Volume: Up to 300 sheets / day	
	Scan Speed: 200dpi: 5.5sec; 300dpi: 5.5sec; 600dpi:	
	A .	
	9.0sec	
	Supported OS: Windows XP / Vista / 7 / 8 / 8.1 / 10	
	File Format: JPEG, PDF, Searchable PDF, DOCX, XLSX,	
	PPTX	
	PR 2021-04-0691 SCMD Regular Fund Portable Scanner	
12	Dowtoble Conner	
	Sensor Type: Contact Image Sensor (CIS)	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution: 600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B)	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera 4k @ 30 fps	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera	
	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera 4k @ 30 fps At least 12 mp Battery life up to 120 minutes	
13	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera 4k @ 30 fps At least 12 mp	
13	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera 4k @ 30 fps At least 12 mp Battery life up to 120 minutes	
13	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera 4k @ 30 fps At least 12 mp Battery life up to 120 minutes Memory: Class 10 MicroSD and SDXC cards (or	
13	Sensor Type: Contact Image Sensor (CIS) Scanning Method: Fixed document and moving carriage Optical Resolution:600 x 600dpi Max Document Size: 216x1,828.8mm Daily Scan Volume: Up to 300 sheets/day Interface:USB 2.0 (Micro-B) Resolution Colour/Monochrome): 200dpi: 5.5 sec 300 dpi: 5.5sec 600dpi: 9.0sec Action camera 4k @ 30 fps At least 12 mp Battery life up to 120 minutes Memory: Class 10 MicroSD and SDXC cards (or better) are acceptable, allows maximum storage up to	

	housing	
	Display: 2 in; touch screen	
	Inclusive of: Housing; adhesive mount; HDMI to micro	
	HDMI cable; 1 year warranty	0
	PR 2021-04-0690 SCMD Regular Fund	
	External Hard Disk Drive (HDD) Portable	
	Compatible with Windows and Mac	
14	at least 120 MB/s transfer	
	Weight should not exceed 140 g	
	2 TB	
	Headset with microphone	
	Noise Isolating	
	Can answer/end call	
15	Works with common calling applications across	
	almost all platforms	
	Single 3.5 mm jack	
	Cable length: at least 1.8 m Headphone Features: Noise Isolating, answer/end call,	
	high resolution	
	Input Impedance: 22 Ohms	
	Sensitivity (headphone): 122 dB +/-3 dB Sensitivity (microphone): -44 dBV/Pa +/- 2.5 dB	
	Frequency response (Headset): 20 Hz to 20 kHz	
	Frequency response (Microphone): 100 Hz to 6.5 kHz	
	Cable length: 1.8m dimension	
	Works with common calling applications across	
	almost all platforms	
	USB 3.0 Hub (Gang-switch 4-port)	
	With independent switch	
	Ultra slim	
16	High speed USB splitter	
	Portable extension data hub	
	Compatible for mouse, keyboard, flash drive HDD or	
	more	
	PR 2021-00-0095 WRMD RICE ESSETS	
	External Hard drive 2TB	
	Ultra Slim 2TB External Hard Drive Portable HDD	
	USB 3.0 for PC Laptop and Mac	
17	Max Data Transfer: 120MB/s OS Required: Apple MacOS X 10.7 or later, Microsoft	
17	Windows 7 or later	
	Cable Type: SuperSpeed USB cable	
	Color: any color	
	Includes free external drive bag/carry case	
	PR 2021-00-0104 WRMD INS VARIOUS	
	Printer	
	Printer Type: Print, Scan, Copy (Wireless, Duplex,	
	Refillable)	
	Maximum Print Resolution:	
	5760 x 1440 dpi (with Variable-Sized Droplet	
	5760 x 1440 dpi (with Variable-Sized Droplet Technology)	
	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size:	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24")	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size:	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter,	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Scanner Type: Flatbed colour image scanner	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Scanner Type: Flatbed colour image scanner Flatbed (Black / Colour):	
18	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Scanner Type: Flatbed colour image scanner Flatbed (Black / Colour): 200 dpi: 11 sec / 200 dpi: 28 sec	
	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Scanner Type: Flatbed colour image scanner Flatbed (Black / Colour): 200 dpi: 11 sec / 200 dpi: 28 sec PR 2021-04-0824WRMD INS VARIOUS INS CONT.	
19	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Scanner Type: Flatbed colour image scanner Flatbed (Black / Colour): 200 dpi: 11 sec / 200 dpi: 28 sec PR 2021-04-0824WRMD INS VARIOUS INS CONT. Smart LED TV	
	5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Size: 3 pl Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Scanner Type: Flatbed colour image scanner Flatbed (Black / Colour): 200 dpi: 11 sec / 200 dpi: 28 sec PR 2021-04-0824WRMD INS VARIOUS INS CONT.	

	Display Resolution: 1366*768 HD	
	Smart TV: YES	
	Operating System & Version: Android 9.0 or later	
	Bluetooth: Yes	
	Wifi Connectivity: YES	
	usb Media File Playback: Photo, Video, Music, Text	
	(HEVC)	
	USB Ports: 2(2.0&3.0)	
	HDMI Ports: 2	
	Ethernet: 1	
	PR 2021-04-0719 OAP STO	
20	All-in-one color printer (refillable ink tank	
20	system) Max. print resolution: 4800 (horizontal)*1 x 1200	
	(vertical) dpi	
	Print head/ink	
	Type: Individual Ink Bottle	
	Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black)	
	Printable Area:	
	Borderless Printing: top/bottom/right/left margin:	
	each 0mm	
	Supported Paper Size: A4/Letter/4x6"/5x7"/8x10")	
	Bordered Printing: top margin: 6mm, bottom margin:	
	6mm, left/right margin: 6mm	
	Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7",	
	Envelopes (DL, COM10), Custom size (width 101.6-	
	215.9mm, length 152.4-676mm)	
	Prininting Resolutions:	
	PIXMA Cloud Link: from smartphone or table:	
	available	
	Optical Resolution: 600x1200 dpi	
	Max. Document Size: A4/Letter	
	Scan	
	Scanner Type: Flatbed	
	Optical Resolution: 600x1200 dpi	
	Max. Document Size: A4/Letter	
	Copy	
	Max. Document Size: A4/Letter	
	Image Quality: Fast, Standard	
	Network	
	Protocol: SNMP, HTTP, TCP/IP (IPv4/IPv6)	
	Direct Connection (Wirelesss LAN): Available	
21	Multi-purpose geo-tagging device	
	Sim: hybrid slim slot	
	Screen: FHD+IPS LCD Display	
	Size: 6.4 - 6.6 inches, 102.8 cm ²	
	Resolution: 1080x2400 pixels	
	Protection: Corning Gorilla Glass 5	
	OS: Android 10 with MIUI 12	
	Chipset: Qualcomm Snapdragon 732G	
	CPU: 2x Kryo 470 Gold @ 2.3GHz & 6x Kyro 470 Silver	
	@ 1.8GHz	
	GPU: Adreno 618	
	Card slot: Expandable up to 256GB via microSD	
	Internal: 128GB 6GB RAM	
	with 3.5mm jack	
22	Smart Television	
22	Backlight type: Direct LED	
	Panel type: vertical alignment	
	Screen size: 32"	
	Dsplay resolution: 1366*768 (HD)	
	Smart TV: Yes	
	Operating system and version: Android 9.0	

	Wifi connectivity: Yes	
	USB media file playback: photo, video, music, text	
	(HEVC)	
	USB ports: 2	
	Ethernet: 1	
	PR 2021-04-0785 OAP PAEF	
22	Printer	
23	All-in-one color printer (refillable ink tank system)	
	All-in-one color printer (reiliable link tank system)	
	Max. print resolution: 4800 (horizontal)*1 x 1200	
	(vertical) dpi	
	Print head/ink	
	Type: Individual Ink Bottle	
	Ink Bottle: GI-790 (Cyan, Magenta, Yellow, Black)	
	Printable Area:	
	Borderless Printing: top/bottom/right/left margin:	
	each 0mm	
	Supported Paper Size: A4/Letter/4x6"/5x7"/8x10")	
	Bordered Printing: top margin: 6mm, bottom margin:	
	6mm, left/right margin: 6mm	
	Paper Size: A4, A5, B5, Letter, Legal, 4x6", 5x7",	
	Envelopes (DL, COM10), Custom size (width 101.6-	
	215.9mm, length 152.4-676mm)	
	Prininting Resolutions:	
	PIXMA Cloud Link: from smartphone or table:	
	available	
	Optical Resolution: 600x1200 dpi	
	Max. Document Size: A4/Letter	
	Scan	
	Scanner Type: Flatbed	
	Optical Resolution: 600x1200 dpi	
	Max. Document Size: A4/Letter	
	Сору	
	Max. Document Size: A4/Letter	
	Image Quality: Fast, Standard	
	Network	
	Protocol: SNMP, HTTP, TCP/IP (IPv4/IPv6)	
	Direct Connection (Wirelesss LAN): Available	
	Home broadband	
	-2.4 & 5 GHz dual-band wifi	
24	- 2 to 3 LAN Ports	
	-LTE technology	
	-Network Type: 3G and 4G	
	-Connects up to 5 devices	
52029	PR 2021-04-0787 OAP STO	
25	HDMI cable	
	HDMI to HDMI	
	2.0 V with Ethernet and Audio return channel	
	2 Latch Locking connector	
	24k gold plated copper contact for corrosion	
	resistance	
	ALMG triple shield 100%	
	RoHS soft PVC jacket	
	4k Ultra HD	
	PR 2021-04-0786 OAP PAEF	
26	CPU case	
	Type: ARX Mid Tower	
	Color: White	
	Side Panel Window: Acrylic	
	Front Panel USB: *USB 3.0 Gen 1 Type A: *USB 2.0	1
	Front Panel USB: *USB 3.0 Gen 1 Type A; *USB 2.0	
	Type A	
	Type A Motherboard Form Factor:	
	Type A Motherboard Form Factor: -ATX	
	Type A Motherboard Form Factor:	

	M. J. Card Loreth	
	Maximum Video Card Length:	
	380mm/14.961"	
	Dimensions:	
	- 464mm x 205 mm x 444 mm	
	- 18.268" x 8.071" x 17.48"	
	External 5.25" Bays: 2	
	Internal 2.5" Bays: 1	
	Internal 3.5" Bays: 2	
	Volume:	
	- 42.233 L	
	- 1.491 cu. Ft.	
27	Uninterruptible power supply (UPS)	
27		
	Power Capacity (VA): 1000 VA	
	Frequency Range: 60 Hz	
	Freq. Range (Batt. Mode): 60 Hz ± 1 Hz	
	Transfer Time: Typical (4-8 ms)	
	Back-up Runtime: 10-15 mins	
	Voltage: 220 VAC	
	Voltage Range: 162-270 VAC	
	Power Output Connectors Details: 8 x power NEMA 5-	
	15	
20	Cable Length: 6 ft	
28	DDR4 RAM (16gb)	
	Type: 288-pin DIMM	
	Speed: DDR4-3400MHz	
	Size: 16gb (2 x 8 gb)	
	CAS Latency: 16	
	Voltage: 1.35V	
	Timing: 16-16-16-36	
	Color: Black	
	LED: RGB	
	PR 2021-04-0784 OAP PAEF	
	The Arman Andrews Committee of the Commi	
29	Geotagging device	
	Sim: hybrid slim slot	
	Screen: FHD+IPS LCD Display	
	Size: 6.4 - 6.6 inches, 102.8 cm ²	
	Resolution: 1080x2400 pixels	
	Protection: Corning Gorilla Glass 5	
	OS: Android 10 with MIUI 12	
	Chipset: Qualcomm Snapdragon 732G	
	CPU: 2x Kryo 470 Gold @ 2.3GHz & 6x Kyro 470 Silver	
	@ 1.8GHz	
	GPU: Adreno 618	
	Card slot: Expandable up to 256GB via microSD	
	Internal: 128GB 6GB RAM	
	with 3.5mm jack	
30	Portable microphone with speaker	
	Can support FM radio, TF card, USB flash disk, AUX	
	audio play and voice recording	
	LY-042=Voice Amplifier + TF/USB card speaker +	
	Bluetooth speaker + recorder + FM radio	
	Can amplify up to 33 feet away	
	UHF wireless transmission technology	
	With USB charge cable	
	Input: DC5V	
	Power: 4hp 9w	
	Working temp: -10°C~45°C	
	Charge time: 2-3 hours	
	MIC use time: 6 hours	
	Audio play time: 8-10 hours	
	Audio play time: 8-10 hours	
24	PR 2021-00-0013 BULACAN REG	
31	PR 2021-00-0013 BULACAN REG Wireles Presenter	
31	PR 2021-00-0013 BULACAN REG Wireles Presenter Color: Black	
31	PR 2021-00-0013 BULACAN REG Wireles Presenter	

	Battery type: 2 AAA batteries	
	Wireless operating distance: Approx 10m2	
	Wireless technology: 2.4 GHz wireless technology	
	Supported OS: Windows Vista, Windows 7, Windows 8	
	Interface: USB	
	Accessories: Carring case	
	3.0 USB Hub and Card Reader Combo	
	- Power status LED indicator	
	- Multiple USB 3.0 interface Overcurrent and	
22	undercurrent protection	
32	- Supports Windows XP, Windows 7, 8 and Mac OS	
	Linux	
	- High speed data transfer up to 5 Gbps	
	- Compatibility card: MS, M2, SD, TF	
	Wireless Mouse and Keyboard Combo	
	- 2.4 wireless technology	
33	- up to 10 meters connection	
	- on/off switch	
	- full size keyboard	
	- plug and play	
	Casing Fan with LED	
	- Material: polyethylene	
34	- Color: Black	
7.5	- Length: 1m	
	- Outer Diameter: 8mm	
	Wire Spriral Wrap Sleeving Band Tube/ Cable	
	Protector	
35	- Material: polyethylene	
	- Color: Black	
	- Length: 1m	
	- Outer Diameter: 8mm	
26	Mouse pad, comfort mouse pad with wrist rest gel	
36	suppoort mat mice	
37	USB 3.0 flash drive, 32GB	
37		
37 38	Network Ehternet LAN kit	
	Network Ehternet LAN kit Stripping cable:	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester:	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper:	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver:	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver:	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components, such as the CPU fan or casing, etc.	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components,	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components, such as the CPU fan or casing, etc. 3. Network tester (for testing cables)	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components, such as the CPU fan or casing, etc. 3. Network tester (for testing cables) 4. Crimping pliers	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components, such as the CPU fan or casing, etc. 3. Network tester (for testing cables) 4. Crimping pliers 5. Wire stripping k nife	
	Network Ehternet LAN kit Stripping cable: Network Cable Tester: This Network Cable Tester is for test of RJ11, RJ12, RJ45, 10/100 Base-T, TIA 568A /568B AT&T 258A, BNC, Cat 5, etc This device be separated into two units: Main Unit and Remote Unit. The Remote Unit allows you to test cables installed far away either on patch panel or wall plate with the Auto-Test. Mode and 9 LED indicators for testing each pin. Compact and Light Weight. Packaged with a leather case for storage. Powered by a 9V battery Network Cable Crimper: For cuts, strips and crimps for 8P8C/ RJ-45, 6P6C/RJ12, 6P4C/RJ-11, 4P4C & 4P2C in one tool Packing Accessories: 1. Cross screwdriver: Soft rubber handle, the cutter head and magnetic treatment, used for disassembling desktop computers, printers and other equipment screw 2. Flat screwdriver: Soft rubber handle, the cutter head and magnetic treatment for auxiliary disassembling components, such as the CPU fan or casing, etc. 3. Network tester (for testing cables) 4. Crimping pliers	

	8. Card k nife	
	9. Crystal Connectors (10pcs)	
	10. Plastic Box	
	11. Bag	
	Package Included:	
	1 x 9Pcs Network Computer Maintenance Repair Tool	
	Kit	
	1 x User Manual	
	1 x Storage Bag	
39	16-port Gigabit Switch	
	Standards and Protocols:	
	802.3 10BASE-T Ethernet	
	802.3u 100BASE-TX Fast Ethernet	
	802.3ab 1000BASE-T Gigabit Ethernet	
	802.3z Gigabit Ethernet	
	802.3x flow control	
	802.1p priority	
	802.3az, Energy Efficient Ethernet	
	Ports16 RJ-45 connectors for 10BASE-T/100BASE-TX	
	LED Indicators	
	System/PWR, Link/Activity, 100M,* Gigabit,*	
	PR 2021-00-0015 BULACAN REG	
40	Portable Sheetfed Document Scanner	
40	Maximum Resolution: 600 dpi	
	Color Depth: 24-bit	
	Duplex Scanning	
	Scan Speed: 23-46 ipm	
	Minimum Scan Size: Letter	
	Maximum Scan Size: Legal	
	Media Handling: Automatic Document Feeder	
	Sheet Capacity: 20 Sheets	
	Daily Duty Cycle: 1000 scans	
	Connectivity: USB 2.0	
41	Wifi All-In-One Tank Printer	
	Printer:	
	Minimum Printing Resolution: 1200 dpi	
	Ink type: Individual Ink Charge	
	Paper Size: A4, A5, B5, LTR, LGL, 4 x 6", 5 x 7", 8 x 10",	
	Envelopes (DL, COM10)	
	Scanner:	
	Scanner Type: Flatbed & ADF	
	Scanning Method: Contact Image Sensor	
	Optical Resolution: 2400 x 4800dpi	
	Colour: 48 bit	
	Additional Feature: Wireless Connectivity	
42	LED Display for PPT Presentation	
	Screen Size: 40-inch	
	Connectivity: Wifi, LAN	
	USB Port: USB 2.0 x1	
	TV Resolution: Full HD	
	HDMI port: 2	
	OS: Android Oreo Smart TV	
43	Wi-Fi Range Extender	
	- Speed: 2.4GHz band (300Mbps) and %GHz	
	(433Mbps), stable dual band wi-fi extension,	
	compatible with any wi-fi router	
	PR 2021-00-0087 SWRRD NUE	
44	OTG 64GB on the Go USB micro	
45	OTG 64GB on the Go USB Type C	
45	PR 2021-00-0087 SWRRD REGULAR	
46	Wireless Headphones for conferences with	
46	Wireless Headphones for conferences with microphone	
46	Wireless Headphones for conferences with microphone Lightweight, folding design for ultimate music	
46	Wireless Headphones for conferences with microphone Lightweight, folding design for ultimate music mobility	
46	Wireless Headphones for conferences with microphone Lightweight, folding design for ultimate music	

	Padded earcups for comfortable listening	
	PR 2021-00-0087 SWRRD RICE R & D	
	USB 2.4GHz Wireless PPT PowerPoint Presenter	
47	Pointer Clicker Laser Remote Control	
	PR 2021-04-0692 SWRRD OAP-SHA	
48	RAM, 8GB Single DDR4 2666Mhz	
49	Casing, Mid Tower Chassis	
50	Monitor; Resolution: 1920x1080p HDMI, VGA	
	Processor, Intel Core i5-9600 (9th Gen)	
51	Motherboard, 360 series motherboard (9th Gen	
52		
	Compatible)	
53	Hard disk, 1TB Capacity 7200RPM 3.5 inch	
54	Power Supply, 500W 80+High Efficiency	
55	Internal SSD, 500GB	
56	Wireless Mouse & Keyboard Combo keyboard:	
	Nano receive	
	Wifi range (in metes): 10m	
	SilentTouch Technology	
	On/Off power switch	
	Mouse:	
	Silent touch Technology	
	Contoured compact shape	
	On/off power button	
F7	Printer All-in-one	
57		
	Functions: Print, copy, scan, wireless	
	Printed speed black: ISO: Up to 8 ppm	
	Print speed color: ISO: Up to 5 ppm	
	Number of print cartridges: 1 black bottle, set of 3	
	color bottles	
	Connectivity	
	Wireless capability: Yes	
	Connectivity, standard: 1Hi-speed USB 2.0	
	Paper handling	
	Paper handling input, standard: 60 sheet input tray	
	Paper handling output, standard: 25 sheet output tray	
	Borderless printing: Yes, up to 8.5 x 11 in (US letter),	
	210x297mm (A4)	
	Scanner specification	
	Scanner type: Flatbed	
	Scan file format: JPEG, TIFF, PDF, BMP, PNG	
	Scan resolution, optical: Up to 1200 x 1200 dpi	
	Copier specifications	
	Copy resolution (black text): Up to 600 x 300 dpi	
	Copy resolution (color text and graphics): Up to 600 x	
	300 dpi	
58	Portable Scanner	
	Scan Function	
	Scanner type: A4 sheet-fed colur scanner	
	Sensor Type: Contact Image Sensor (CIS)	
	Scanning Method: Fixed document and moving	
	carriage	
	Light Source: RGB LED	
	Optical Resolution: 600 x 600 dpi	
	Output Resolution: 50-1,200 dpi (in 1 dpi increments)	
	Scanner Bit Depth (Colour):48-bit input, 24-bit output	
	Scanner Bit Depth (Grayscale): 16-bit input, 8-bit	
	output	
	Scanner Bit Depth (Black&White): 16-bit input, 1-bit	
	output	
	Min Document Size: 50.8 x 50.8mm	
	Max Document Size: 21.6 x 1,828.8mm	
	Supported Paper Weight: 35-270/ g/m2	
	Daily Scan Volume: Up to 300 sheets/day	
	Interface: USB 2.0 (Mciro-B), Wi-fi	
	Scan Speed	

	1 - 2 - 10 1 (M 1 2 200 dui: 4.0 cos	
	Resolution (Colour/ Monochrome): 200dpi: 4.0 sec	
	(Battery)/ 5.5sec (USB Bus powered)	
	300dpi: 4.0sec (Battery)/5.5sec (USB Bus powered)	
	600dpi: 9.0sec (Battery)/9.0sec (USB Bus powered)	
	PR 2021-04-0696 SWRRD OAP R&D Continuing	
	Voice Recorder	
	General Features	
	Battery Type: Dry Battery	
	Built-In Memory: 4gb	
	Built-In Microphone: Stereo	
	Calendar Search: Yes	
	Maximum Files (Total): 5000	
59	Pc Connectivity: Yes	
39	Playback Format: Mp3/Wma/Aac-Lc/L-Pcm	
	Recording	
	Max. Recording Time Mp3 192 Kbps: 39 Hrs 45 Min	
	Interface	
	Input And Output Terminals	
	[Pc I/F] Hi-Speed Usb [Input] Stereo Mic-In Jack	
	[Output] Stereo Earphone Jack	
	PR 2021-04-0695 SWRRD Regular Fund	
	Web camera for PC	
	Specifications:	
	Product Type: USB Video Camera	
	Color: Black	
	Material: ABS	
	Mirrored: Yes	
	Lens:	
	Image Sensor: 1/2.7 2MP	
	Image Range: 1.5-5 meters	
60	Lens: 4.0mm	
	Connectivity:	
	Wired: Yes	
	Interface Cable: 2.0 USB	
	Cable length: 1.5m	
	FOV: 360-degrees	
	Sensor Type: CMOS	
	Pixels: 2 mega-pixels	
	Video Frame rate: 30FPS	
	Detection distance: 5 meters	
	Video Resolution: 1920 x 1080P	
	Compatibility:	
	Suitable for: Video conferencing, video calls, HD	
	recording, live online classes, etc.	
	Chat software support: Yahoo, MSN, QQ, Alitalk,	
	WeChat, Nail nail, YouTube, Facebook, Skype,	
	WhatsApp, LINE	
	System Support: Windows 7, Windows 8, Windows	
	XP, Windows 10, Mac IOS, VISTA, etc.	
	PR 2021-00-0046 ALMED SEMLUR/NPAAAD/REG	
61	All-in-one Ink Tank Printer with ADF	
	High-quality printing	
	Print, scan, copy, fax with Automatic Document	
	Feeder and Flatbed feeder	
	Spill-free, error-free refilling	
	High yield ink bottles	
	Borderless printing	
	Printer with ADF 4-in-1: Print, copy & scan and	
62		
62	borderless photo printing	
62	Wi-Fi Direct, Ethernet: Print from mobile devices	
62	Wi-Fi Direct, Ethernet: Print from mobile devices Scanner type: Contact image sensor (CIS)	
62	Wi-Fi Direct, Ethernet: Print from mobile devices	

	7614 1 2 200 1 16 14	
	Single-sided scan speed (A4 colour): 200 dpi (with	
	ADF); , 4.5 ipm with ADF scan 200 dpi (flatbed) 29 sec.	
	with flatbed scan	
	ADF:30 pages	
	Paper tray capacity: 100 sheets standard	
63	Storage Backup Plus 6TB, External Hard Drive	
64	UPS, 650 VA 390 watts UPS	
04	Monitor, 21.4", Panel type: TN 1920x1080	
65	resolution	
	Portable Projector : Native Resolution:	
	800x480, LCD, LED 34-130 inch,	
	Manual Control	
	TV/HDMI/USB/AV/VGA/SD , Audio file	
66	Format: WMA,MP3, M4A,	
	Image File: JPEG, BMP, PNG	
	Video File: RM/RMVB, MPEG1,MPEG2, H264, MOV,	
	MJPEG, FLVVVCI, DIVX, etc.	
	All-in-One Multifuction Printer	
	High Quality printing, Print, scan copy, fax w/	
67	automatic document feeder and flatbed feeder, Spill	
07	free, error free refilling, High Yield ink bottles,	
	boardless printing Printer 4 in 1: Print Method: On-demand inkjet	
	(piezoelectric)	
	Maximum Print Resolution: 5760 x 1440 dpi	
68	(with variable-sized droplet technology)	
	Print Direction: Bi-directional printing, Undirectional	
	printing	
	Maximum Copy Size: A4, Letter	
	Geo-Tagging Device: 6-6.5" Full View Display,	
	2340 x 1080 high resolution, Android 8.1,	
69	4gb+64gb GPS/APS/Glonass, Bluetooth, Micro Usb,	
0)	Wifi direct, Wifi Hotspot, Fingerprint sensor,	
	proximity, front cam:16m, Rear cam: 13m	
	Battery:4000 maH	
	Wifi Router (2402Mbps+574Mbps)	
	External Antenna x 4, 2.4 Ghz 2 x 2; 5Ghz 2 x 2,	
70	Transmit/receive: 2.4 GHz x 2; 5 GHz 2x2, processor:	
70	1.5 GHZ tri-core processor. Operation Mode: Wireless	
	router mode; access point mode; Media Bridge Mode	
	Processor: 1.5 Ghz tri-core processor	
	Digital Camera Type: 1/2 3 type back-illuminated	
	CMOS, Type: DIGIC 4+ with Isaps technology, Zoom:	
	Optical 25x, ZoomPlus50x, FOCUSING, Type: TT, Limage	
	Size: , 4:3 - (L) 5184 x 3888, (MI) 3648 x 2736,(M2)	
	2048 x 1536, (M) 2592 x 1944,(S) 640 x 480, 16:9 -	
71	(L) 5184 x 2912 (MI) 3648 x 2048, (M20 2048 x 1368,	
	(S) 640 x 424, 1:1 - (L) 3888 x 3888, (MI) 2736 x	
	2736, (M1) 2736 x 2736, (M2) 1536 x 1536, (S) 480 X	
	480, Resize option available in playback, Hi-Speed	
	USB dedicated connector (Micro-B compatible)	
	NAS Storage: Gigabit Ethernet, USB 3.0 5 GB/s (Max,	
72	USB 2.0 480 mb/s (Max)	
	Display Monitor: 27", IPS Technology, Full HD 1080	
73	res., Display Port and VGA input	
	PR 2021-00-0087 LSD REGULAR	
71	Desktop Memory, 32GB, DDR4, 3600MHz	
74		
75	Desktop Memory, 8GB, DDR3, 1600MHz	
76	Power Supply Unit, True-rated, RAVE 80 PLUS	
	800WATTS	
	Power Adapter, 100 cm, 24W,	
77	Voltage Input: AC 100-240V	
	Electric Current: Max. 2A	
	USB Keyboboard Vacuum Cleaner,	
78	Power: 8W	
	Voltage: DC 5V	

	Power supply: Usb charging	
	Battery capacity: 2000mAh	
	colour:black	
	Material:ABS	
	PR 2021-00-0087 LSD PD 1435	
79	Memory Ram, SODIMM, 16GB, 3200MHz, DDR4C CL22	
	PR 2021-00-0050 SSD REG	
	Keyboard and mouse wireless combo,	
80	wireless range: 10m, 2.4GHz wireless connectivity	
00	compatible for tablet, laptop	
	External Drive SSD, USB 3.0/3.1	
81	atleast 500 GB	
	PR 2021-00-0118 Planning REGULAR	
02		
82	OTG (Micro-USB, 32gb) PR 2021-04-0612 Planning REGULAR	
83	Desktop Microphone	
	Sample Rate: 48kHz	
	Bit Rate: 16-bit	
	Capsules: 3 Blue-proprietary 14mm condenser	
	capsules	
	Polar Patterns: Cardioid, Bidirectional,	
	Omnidirectional, Stereo	
	Frequency Response: 20 Hz-20 kHz	
	Impedance: 16 ohms	
	Power Output (RMS): 130mW	
	USB 1.1/2.0/3.0	
0.4	Speaker	
84		
	Speaker Type Full Range	
	Input and Output Terminals Stereo Mini Jack (IN),	
	micro USB	
	Frequency Transmission Range 20 Hz-20,000 Hz	
	(44.1 kHz sampling)	
	Battery Life Approx. 12 hours (Standard	
	mode/lighting off)	
	Approx. 10 hours (EXTRA BASS mode/\lighting on)	
	Extra Bass sound with Live Sound mode 20 Hz-20,000	
	Hz (44.1 kHz sampling)	
	PR 2021-02-284 GSITD REG	
	Motherboard (for Ryzen 9 3rd Gen), compatible with	
	Ryzen 9 (3rd Gen)	
85	Socket type: AM4+	
	Chipset: x570	
86	Fiber Module	
00	Monitor (4K 55)	
87	Size: at least 55 inches	
8/	Resolution: 4K UDH	
	Keyboard and Mouse Combo (Wireless Full-size)	
	Long range wireless 2.4 GHz	
	Full size keyboard and mouse	
88	Bluetooth receiver	
88	Plug and play	
88	Plug and play with On/Off switch	
88	Plug and play with On/Off switch with CAPS lock indicator light	
88	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light	
	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB)	
88	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light	
	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB)	
	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop	
89	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB)	
	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB) RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop	1
89	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB) RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop Capacity: 8 GB (1 x 8GB)	1
89	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB) RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop Capacity: 8 GB (1 x 8GB) Speed: 1600 MHz	1
89	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB) RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop Capacity: 8 GB (1 x 8GB) Speed: 1600 MHz SSD (Internal 500GB)	1
90	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB) RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop Capacity: 8 GB (1 x 8GB) Speed: 1600 MHz SSD (Internal 500GB) Internal Solid State Drive (SSD)	1
89	Plug and play with On/Off switch with CAPS lock indicator light with battery indicator light RAM Desktop (DDR4 16GB) Memory type: DDR4 for desktop Capacity: 16 GB (1 x 16GB) RAM Desktop (DDR3 1600 8GB) Memory type: DDR3 for desktop Capacity: 8 GB (1 x 8GB) Speed: 1600 MHz SSD (Internal 500GB)	1

	PSU (500)	
92	Power Supply Unit (PSU)	
	500 w with 80% efficiency	
	Monitor (FHD 27)	
93	Size: at least 27 inches Resolution: 1920 x 1080 FHD	
	IPS Panel SSD (Internal M.2 NVMe 500GB)	
	Internal Solid State Drive (SSD)	
94	at least 3 GB/s transfer	
94	M.2 NVMe	
	500 GB	
1	PSU (1000) Power Supply Unit (PSU)	
95	1000 w 80 plus gold modular	
	Casing (Desktop Full Tower)	
	Desktop casing with tempered glass side panel	
96	Type: Full Tower	3 349
	USB 3.0	
	RAM Desktop (DDR4 3600 32GB 2x16)	
	Memory type: DDR4 for desktop	
97	Capacity: 32 GB (2 x 16GB)	
	Speed: 3600 MHz	
	Multi-channel	
	HDD (Internal 4TB) Internal Hard Disk Drive (HDD)	
98	at least 5900 RPM	
	3.5 inch	
	4 TB	
	PR 2021-02-284 GSITD NSST	
	Casing (Desktop Mid Tower) Desktop Casing	
99	Type: Mid Tower	
	USB 3.0	
10.11	PR 2021-04-0701 GSITD AFACI (TRUST FUND)	
	Laptop (i7 Touch)	
	Processor: at least i7	
	Memory: atleast 16GB	
	Display: atleast 13.9: UHD	
	Touch IPS Display	
100	Storage: 1TB SSD	
100	Input Keyboard: 85-key	
	(Illumintated keyboard)	
	USB port: Thunderbolt 4 (Type-C)	
	USB 3.2 (Type-A)	
	OS: Windows 10 Pro w/ Card Reader	
	I W/ Lard Reader	
	Laptop (i7)	
	Laptop (i7) Processor: at least i7	
	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6	
	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND)	
	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen)	
101	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen) Ryzen 9 3900x 12-core (3rd Gen)	
	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen) Ryzen 9 3900x 12-core (3rd Gen) Motherboard (for Ryzen 9 3rd Gen)	
102	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen) Ryzen 9 3900x 12-core (3rd Gen) Motherboard (for Ryzen 9 3rd Gen) compatible with Ryzen 9 (3rd Gen)	
	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen) Ryzen 9 3900x 12-core (3rd Gen) Motherboard (for Ryzen 9 3rd Gen) compatible with Ryzen 9 (3rd Gen) Socket type: AM4+	
102	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen) Ryzen 9 3900x 12-core (3rd Gen) Motherboard (for Ryzen 9 3rd Gen) compatible with Ryzen 9 (3rd Gen) Socket type: AM4+ Chipset: x570	
102	Laptop (i7) Processor: at least i7 Graphics: atleast 1660 6GB GDDR6 Memory: atleast 16GB Display: atleast 15.6" Full HD 240Hz, 3ms Storage: 1TB SSD Input Keyboard: Backlit chicklet keyboard USB port: Thunderbolt 4 (Type-C) USB 3.2 (Type-A) OS: Windows 10 Pro w/ Card Reader PR 2021-04-0700 GSITD AFACI (TRUST FUND) Processor (Ryzen 9 3rd Gen) Ryzen 9 3900x 12-core (3rd Gen) Motherboard (for Ryzen 9 3rd Gen) compatible with Ryzen 9 (3rd Gen) Socket type: AM4+	

	Speed: 3600 MHz	
	Multi-channel	
	RGB	
	SSD (Internal M.2 NVMe 500GB)	
	Internal Solid State Drive (SSD)	
105	at least 3 GB/s transfer	
	M.2 NVMe	
	500 GB	
	SSD (External USB3.1 500GB)	
	External Solid State Drive (SSD) Portable	
106	USB 3.1 at least 550 MB/s transfer	
	Weight should not exceed 140 g	
	500 GB	
	Monitor (FHD 27)	
	Size: at least 27 inches	
107	Resolution: 1920 x 1080 FHD	
	IPS Panel	
	Mouse	
	Bluetooth mouse	
108	Sensor technology: Advanced optical tracking	
	Sensor resolution: 1000	
	Keyboard and Mouse Combo (Wireless)	
	Long range wireless 2.4 GHz	
109	Bluetooth receiver	
	Plug and play	
	Speaker (Portable)	
	Speaker Type: Full Range	
110	Sound Modes: Extra Bass, stamina Mode	
110	Bluetooth Version 5	
	USB Type-c	
	Battery Life: approx 12 hrs	
	Headphone	
	Typre: Closed Dynamic	
444	Volume Control: Yes	
111	Bluettoth Version 5	
	Battery Life: approx 30hrs	
	Battery Charge Method: USB Type-C	
	Camera (Webcam 4K)	
	Multiple Resolutions	
	4k/30 FPS	
	10809/30 or 60FPS	
	720p/30, 60 or 90 FPS	
112	Focus Type: sutofocus	
112	V 1	
	Lens Type: glass Built-in mic: stereo, dual omni-directional	
	Proceedings of the control of the co	
	Digital Zoom: 5x	
	USB Connectivity USB-A plus and play	
	HDR clear image	
	Voice Recorder	
	built-in memory: 4GB	
	Built-in Microphone: Stereo (S-Mic0	
113	LCD Backlight: Yes	
113	Recording	
	Scene Select	
	Sync Recording Function	
0.000	Recording Monitor	
	Earpod	
	Earpod Type: Closed Dynamic	
	Volume Control: Yes	
114	Waterproof: IPX4 Equivalent	
	Battery Life: approx 5hrs	
	Battery Charging Method: USB Charging w/ case	
	Features: Extra Bass	
	Microphone (Desktop)	
115	Sample Rate: 48kHz	
	Bit Rate: 16-bit	
	Capsules: 3 Blue-proprietary 14mm condenser	

	capsules	
	Polar Patterns: Cardioid, Bidirectional,	
	Omnidirectional, Stereo	
	Frequency Response: 20 Hz-20 kHz	
	Impedance: 16 ohms	
	Power Output (RMS): 130mW	
	USB 3.0 with backward compatibility	
	PR 2021-04-0804 GSITD DCAF (TRUST FUND)	
	HDD (External 2TB) External Hard Disk Drive (HDD)	
	Portable	
111	Compatible with Windows and Mac	
116	at least 120 MB/s transfer	
	Weight should not exceed 140 g	
	2 TB	
	PR 2021-04-0716 GSITD DCAF (TRUST FUND)	
	Tablet	
	Display: at least 10 inches (diagonal)	
	Memory: at least 2G RAM	
	at least 32G ROM	
	OS: at least Android 10	
	Rear camera: at least 5MP	
117	front camera: at least SMP	
	Wifi frequency at least 2Ghz	
	with simcard and microSD slots	
	Bluetooth supported	
	OTG / USB supported	
	Battery: at least 500 mAH	
110	PR 2021-04-0778 GSITD DCAF (TRUST FUND)	
118	Processor (i7 11th Gen) Intel Core i7 (11th Gen)	
	Motherboard (for i7 11th Gen)	
119	compatible with Intel Core i7 (11th Gen)	
	Socket type: LGA1200	
	Chipset: x590	
	RAM Desktop (DDR4 3600 32GB 2x16 RGB)	
	Memory type: DDR4 for desktop	
120	Capacity: 32 GB (2 x 16GB)	
120	Speed: 3600 MHz	
	Multi-channel	
	RGB	
	SSD (Internal M.2 500GB)	
121	Internal Solid State Drive (SSD)	
121	M.2	
	500 GB	
122	Computer Casing, Full-Tower size with USB 3.0	
	PSU (500)	
123	Power Supply Unit (PSU)	
	500 w with 80% efficiency	
	Monitor (FHD 27)	
10.40 ± 0.4	Size: at least 27 inches	
124	Resolution: 1920 x 1080 FHD	
	IPS Panel	
	Keyboard and Mouse Combo (Wireless Full-size)	
	Long range wireless 2.4 GHz	
	Full size keyboard and mouse	
	Bluetooth receiver	
125	Plug and play	
	with On/Off switch	
	with Onyon switch with CAPS lock indicator light	
	with battery indicator light	
	Microphone (Desktop)	
	Sample Rate: 48kHz	
	Bit Rate: 16-bit	
126	Capsules: 3 Blue-proprietary 14mm condenser	
126	Capsules: 3 Blue-proprietary 14mm condenser capsules	
126	Capsules: 3 Blue-proprietary 14mm condenser	

	Frequency Response: 20 Hz-20 kHz	
	Impedance: 16 ohms	
	Power Output (RMS): 130mW	
	USB 3.0 with backward compatibility	
	Camera (Webcam FHD w/ mic)	
	Multiple resolution	
127	1080p/30fps (up to 1920 x 1080 pixels)	
	720/30fps (up to 1280 x 720 pixels) with	
	supported clients H. 26	
	Focus Type: auto focus	
	Lens Type: glass	
	Built-n mic: stereo, dual omni-directional	
	PR 2021-04-0687 Bukidnon Regular Fund	
128	Tablets: 8 inch display, At least 3gb RAM,) OS: Android	
505,000,000y	Octa Core, at 32 GB (storage) at Least 5mp(Camera) PR 2021-04-0752 Tanay OAP Cont.	
120	Keyboard (wired color black)	
129	Printer USB cable wire (for Epson Printer)	
130	OTG for IOS iXpand USB 3.0, 256GB	
132	Wireless n150 USB Adapter	
132	PR 2021-04-0697 Budget Regular Fund	
133	Processor-Intel Core i7-9700 (9th Gen)	
134	Processor-Intel Core i7-6700 (6th Gen)	
135	Internal SSD-Capacity 500GB	
136	RAM-8GB Single DDR4	
137	Hard Disk-2TB 7200RPM 3.5"	
138	PSU-500W 80% Efficiency	
	PR 2021-04-0705 DO Regular Fund	
139	Wireless Telephone	
	Compliance with Section VI. Schedule of	
	Requirement	

Name and Signature of Authorized Representative		
	Company Name	
	Date Signed	