



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ABRA

| Barangay | Farmer Representative | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------------------|------------------------|-------------|--|----|----|---|-----|----|----------------------|---|-----|-------------|----|---|----------------------|----|----|---|--|--|----------------------|--|--|------------|--|--|
| | | | | INBRED RICE | | | | | | | | | HYBRID RICE | | | | | | | | | | | | | | |
| | | Number | Description | Nutrient Requirement | | | WET SEASON | | | Nutrient Requirement | | | DRY SEASON | | | Nutrient Requirement | | | WET SEASON | | | Nutrient Requirement | | | DRY SEASON | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Municipality of BOLINEY | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Amti | _no interview_ | 097 | M-MH-L-L | 50 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); | 60 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); | 70 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); | 80 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | | | | | | | | |
| Amti | Rolly Caniw | 073 | M-L-MH-L | 90 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: | 110 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: | | | | | | | | |
| Bao-yan | Roberto Magongga | 065 | M-L-L-L | 90 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 100 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 110 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | 120 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | | | | | | | | |
| Danac East | _no interview_ | 009 | L-L-MH-L | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: | 120 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3: | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: | 140 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 2.50 (0-0-60); Option 3: | | | | | | | | |
| Danac East | _no interview_ | 097 | M-MH-L-L | 50 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); | 60 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); | 70 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); | 80 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | | | | | | | | |
| Danac East | Compen Balingog | 009 | L-L-MH-L | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: | 120 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3: | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: | 140 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 2.50 (0-0-60); Option 3: | | | | | | | | |

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 -15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ABRA

| Barangay | Farmer Representative | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------------------|------------------------|----------|--|--|----|---|--|----|----|---|-----|-------------|--|---|-----|----------------------|----|---|--|--|----------------------|--|------------|--|--|
| | | | | INBRED RICE | | | | | | | | | HYBRID RICE | | | | | | | | | | | | | |
| | | Number | | Description | Nutrient Requirement | | | WET SEASON | | | Nutrient Requirement | | | DRY SEASON | | | Nutrient Requirement | | WET SEASON | | | Nutrient Requirement | | DRY SEASON | | |
| | | | | | Recommended Fertilizer Rate (bags/hectare) | | | Recommended Fertilizer Rate (bags/hectare) | | | Recommended Fertilizer Rate (bags/hectare) | | | Recommended Fertilizer Rate (bags/hectare) | | | | | | | | | | | | |
| Municipality of BOLINEY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Danac West | _no interview_ | 009 | L-L-MH-L | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.00 (0-0-60); | 120 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.00 (0-0-60); | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.50 (0-0-60); | 140 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 2.50 (0-0-60); | | | | | | | |
| Danac West | Carlos Talay | 097 | M-MH-L-L | 50 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); | 60 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); | 70 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); | 80 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 2.50 (0-0-60); | | | | | | | |
| Danac West | Mario Bidang | 009 | L-L-MH-L | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); | 120 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.50 (0-0-60); | 140 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 2.50 (0-0-60); | | | | | | | |
| Dao-angan | _no interview_ | 073 | M-L-MH-L | 90 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 2.00 (0-0-60); | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.00 (0-0-60); | 110 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.50 (0-0-60); | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.50 (0-0-60); | | | | | | | |
| Dao-angan | Cesar Manganip | 073 | M-L-MH-L | 90 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 2.00 (0-0-60); | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.00 (0-0-60); | 110 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.50 (0-0-60); | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.50 (0-0-60); | | | | | | | |
| Dao-angan | Jose Sanguy | 073 | M-L-MH-L | 90 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 2.00 (0-0-60); | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.00 (0-0-60); | 110 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.50 (0-0-60); | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.50 (0-0-60); | | | | | | | |

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 -15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ABRA

| Barangay | Farmer Representative | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | | | |
|-------------------------|-----------------------|------------------------|-------------|--|-------------------------------|------------------|---|------------|----|----------------------|---|------------------|--|----|---|----------------------|-------------------------------|------------------|---|--|--|
| | | | | INBRED RICE | | | | | | | | | HYBRID RICE | | | | | | | | |
| | | | | WET SEASON | | | | DRY SEASON | | | | | WET SEASON | | | | DRY SEASON | | | | |
| | | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | |
| | | | | N | P ₂ O ₅ | K ₂ O | | | | N | P ₂ O ₅ | K ₂ O | | | | N | P ₂ O ₅ | K ₂ O | | | |
| Municipality of BOLINEY | | | | | | | | | | | | | | | | | | | | | |
| Dumagas | _no interview_ | 065 | M-L-L-L | 90 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 100 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 110 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | 120 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | | |
| Kilong-Olao | _no interview_ | 073 | M-L-MH-L | 90 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: | 110 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: | | |
| Poblacion (Boliney) | Ferdinand Galyeng | 065 | M-L-L-L | 90 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 100 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: | 110 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | 120 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: | | |
| Poblacion (Boliney) | Magdalena Makaling | 009 | L-L-MH-L | 100 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: | 120 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3: | 120 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: | 140 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 2.50 (0-0-60); Option 3: | | |

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)